



TRESTON
GROUP



Distinctive WORKSHOPS

PRODUCT CATALOGUE 2014-2015





About us

Dedicated to human workspace	4
Ergonomics in our workspaces	8
Decorating with colour	10




Workbenches and accessories

Workshop	14
TP and TPH	18
Accessories for Workshop and TP	24
Accessories for TPH	30



Lighting

Lighting ergonomics	34
LED magnifying light ZL3	35
Hillite, ProLite, SatelliTe and Task light	36
Overlight OL 254 and sidelight SL224	37



Chairs

Chairs and accessories	41
------------------------	----



Trolleys

Heavy-duty trolley	46	Storage trolley	49
Fitter's trolley	47	Basic trolley	50
Service trolley	48	Industrial trolley IT	51



Drawer units

Drawer unit 45	55
Drawer unit 55	56
Drawer unit 71	59
Drawer units 70, 90 and 130	60



Shelves and cabinets

Storage system	74
Heavy storage system	77
Industrial cabinets	80



Perforated panels

Perforated back and wall panels	88
Industrial screens	89
Tool storage system	89
Panel hooks	90





For a Better Work Environment

Dedicated to human workspace



Treston Group is among the world's leading suppliers of industrial furniture and workstations.

Our workstation design and implementation process always begins with the person performing the work. In this way, we pay close attention to ergonomics, functionality and efficiency.

The four cornerstones of our operations are customer-focus, reliability, high quality and continuity. We listen to your needs and reliably deliver high-quality and durable solutions, which last from one generation to the next, thanks to our optimal design.

Our own sales network and retailers dedicated to our products provide worldwide assistance and service in support of Treston Group products.





Industrial furniture and workstations for different working environments

Treston Group's product range is divided into three categories, a separate catalogue is available for each category. Please contact our agents or email us at: sales@trestongroup.com to get your own copy.

Distinctive workshops

Our workshop drawer cabinets, tool panels and workbenches are designed to withstand heavy loads and strenuous use in workshops, repair shops and industrial environments.

The long lifetime of our furniture guarantees productivity and a satisfied user. Our workshop furniture is also well known in teaching environments.

Ergonomic workstations

The seamless efficiency of material flows is emphasised in assembly workstations.

Process changes in production or operations require reconfigurable workstations that take account of individual ergonomics requirements. Our modular product solutions allow you to react to new situations and the resulting needs in an agile manner, enabling smooth, continuous operations. Thanks to our extensive selection of accessories, we are able to satisfy even the most individual of needs.

Our own design and years of experience enable us to customise each solution to best suit its purpose. For the needs of the electronics industry, we make ESD-protected workstations, suitable for furnishing EPAs. These workstations are also highly suitable for precision mechanics and mechanical engineering.

Swift in-house logistics

Treston Group storage furniture encompasses both ease of use and design. Our selection provides solutions to a surprisingly broad range of storage challenges, regardless of the users and sector.

Our plastic storage drawers are durable and easy to clean, and can be customised into a complete storage system if necessary. Our product range also includes various stand and trolley solutions, for the more efficient use of storage space and easier movement of stored goods.

We also have storage furniture for environments that require ESD protection. In addition, some of our storage solutions are moulded from reprocessed plastic.

Packaging and shipping departments are often found at the end of production processes. Their logistic efficiency can be easily improved through sensible workstation design.

A great deal of manual labour and quality assurance are typical of the packaging stage, in both individual stations and line solutions. Our solution for the needs of these segments often builds on the idea of "more for less".

When accessories are located and positioned according to LEAN principles, you can significantly speed up throughput and reduce work strain. Cutters, pens, knives, rubbish bins and displays can be positioned in a way that provides the user with the best possible ergonomics, while also ensuring a free and uncluttered workspace.



Workstations for every need

Optimising workstation functionality may prove difficult without well-chosen accessories that increase usability. When a workstation is well-planned and well-equipped, workflow becomes easier and more efficient, improving ergonomics and making it easier to keep tools in place.

Modular means adaptable

Our world keeps changing at an ever-increasing pace. Until recently, products could be manufactured the same way for decades, but now we must be prepared to make changes to our work practices at a much faster rate. In order to revise the production process to meet new requirements, an extremely flexible and adaptable workstation system is essential. Our system is designed particularly with this in mind. The same basic units, equipped with accessories that meet your needs, offer a wide range of applications.

Customised for your application and your operator

The purpose of a workstation determines its basic requirements and accessories. The needs and requirements may change considerably from one employee to another, but we understand that no two people are alike. When a workstation is equipped for and adjusted to an individual's needs, each phase of the production process can be completed without delay, with accuracy and with maximum comfort.

Treston Group offers a wide range of ergonomic workstations to choose from, from those that can be delivered quickly to those that provide versatile options to meet any need.





Ergonomics in our workstations

Costs associated with health and safety problems are an ever increasing concern to all industries. This concern drives industries to seek solutions to provide a healthy, safe and productive working environment. **Designing a workplace with ergonomics in mind improves the employees' wellbeing which in turn improves productivity.**

The modular design of Treston Group workstations enables proper ergonomics. With a wide range of accessories and adjustments we can provide customers with a customized solution using standard components. **Modularity and accessories are individually adjustable according to the task and operator requirements.** The aim is to create an uncluttered workstation and utilise the available workspace as efficiently as possible.

Treston Group's workstations and accessories can be adjusted for operators of different heights working with left or right hand. Correctly adjusted workstations decrease stress in the muscles and enable productive work throughout the shift.


Please do remember that ergonomics is not only adjusting your chair. Real ergonomics has to do with proper lighting, noise absorption, body movements and air quality. More information about lighting ergonomics on page 34.

Seated or standup work?

The choice of a seated or standing working position is dependent upon the task to be executed. The height of the work surface is determined by such factors as size and weight of the part, precision requirement, assembly process, repetitiveness etc.

Height adjustability is especially useful when the size of the products being handled varies or when several people use the same workstation.

When designing the work space for a seated operation leg space requirements must be considered. The recommended space should be at least 80 cm wide and 90 cm deep at floor level. For standing work, the required space is much smaller.



Standup work



Our standards comply with the highest certification requirements



Quality certification ISO 9001:2008	Environmental Management System certification ISO 14001:2004	Packaging treatment following to EU directives.	IPA Qualification Certificate The Concept workstation is suitable for use in class 10.000 clean rooms in accordance with US Federal Standard 209E.
---	--	--	--



ESD-approval certification Our ESD products fulfill the basic requirements of IEC 61340-5-1.	GS certification for lighting and TP workbench	Russian certificate of conformity	Russian certificate of conformity
--	---	--	--

To obtain a copy of our certificates, please contact info@trestongroup.com.



The seller provides a five-year warranty for material and manufacturing defects in the products excluding electronic parts and components for which the warranty provided is a two-year period.





Decorating with colour

The working environment can also look good and be inspirational. By choosing the colours of your equipment to match your corporate colours, you can reinforce your corporate image whilst creating a pleasant working environment.

Doors, drawers and perforated panels all come in various colours. The combination of different colours creates an interesting effect. Colours can also act as codes or identifiers.



Colour codes



Workbench, cabinet, shelving and drawer frames are all light grey (RAL 7038 or RAL 7035) or dark grey (RAL 7045). Outside of the standard colour range, additional colours are available on request. Please contact our agents or email us at: sales@trestongroup.com.

	Colour code	RAL code	Doors	Drawers	Perforated panels and back panels
Light grey		RAL 7035	STD	A/STD	A/STD
Light grey *	35 & 41	RAL 7038	STD	A/STD	A/STD
Dark grey	45	RAL 7045	A	A	A
Blue	07	RAL 5007	STD	A/STD	STD
Red	25	RAL 3002	A	A	A




The colour code is included in those product codes that are formed with numbers.

It is either at the end, following the hyphen (e.g. 860 804-35), or in the middle (e.g. C 334-07 000).


***35 is ESD protected light grey, 41 is non-ESD protected light grey. Please remember that ESD protection will result in a slightly darker shade of colour than the given RAL code.**

STD = Standard factory colour, normal warehouse delivery, listed price


A = Factory colour, delivery 15 days from the factory, listed price




Light grey
RAL 7035




Light grey
RAL 7038



Dark grey
RAL 7045



Blue
RAL 5007



Red
RAL 3002

Printed colours do not give a fully accurate representation of painted colours. Please ask our agent about various samples.



Workbenches and accessories





Workshop benches

'Workshop' benches are designed for the most demanding use and environments. Mechanical workshops, garages, and heavy industry are environments where chemicals, heavy loads, and strenuous use necessitate robustness. These workbenches are very

durable and withstand the toughest conditions. There is a wide range of accessories available.

The Workshop bench is guaranteed for regular use with loads up to 750 kg.



- Worktop designed for very heavy loads, load capacity up to 750 kg.
- Very stable on uneven surfaces due to adjustable legs.
- Can be bolted to floor for more stability.
- You can build your personal workstation with our wide range of accessories.



A drawer unit can serve as a leg

Workshop workbenches can be easily extended by using a drawer frame or a leg as a common support for two workbenches.



This example includes

Qty	Name	Size mm	Code
2	Fixed leg		836 303-35
2	Steel bench top	1500 x 750	836 721-74
1	Drawer unit 55/66-1	550 x 715 x 800	612 07 201



Workshop bench examples



Workshop standard workbench Code C 130 41 101

Qty	Name	Size mm	Code
2	Adjustable leg		836 664-35
1	Steel bench top	1500 x 750	836 721-74
1	Spacer bar	1500-2250	836 451-35



Workshop installation workstation Code C 130 41 110

Qty	Name	Size mm	Code
2	Fixed leg		836 303-35
1	Steel bench top	1500 x 750	836 721-74
1	Lower shelf	1370 x 648	924 35 014
1	Drawer unit 55/13-1	550 x 715 x 130	610 07 001
1	Spacer bar	1500-2250	836 451-35



Workshop repair workstation Code C 130 41 313

Qty	Name	Size mm	Code
2	Fixed leg		836 303-35
1	Steel bench top	1500 x 750	836 721-74
3	Upright tube	30 x 60 x 996	860 367-35
2	Perforated panel	736 x 640	861 512-07
1	Drawer unit 55/37-1	550 x 715 x 370	611 07 001
1	Fixing frame		860 375-35



Workshop workstation Code C130 41 316

Qty	Name	Size mm	Code
1	Steel bench top	1500 x 750	836 721-74
1	Adjustable leg	700-950	836 664-35
1	Fixing frame	1500	860 375-35
3	Upright tube	1359	860 024-35
1	Light/balancer rail	2 x M750	918 35 006
1	Light ProLite 28	1230	861 928-00
1	Energy rail	1230	910 51 001
2	Steel shelf	M750 x 300	836 028-35
2	Suspension rail	M750	859 151-35
5	Plastic container		806 208-00
7	Plastic container		806 207-00
1	Perforated tool cabinet	M750	852 629-07
1	Drawer unit 55/66		612 07 204



Design your own workstation


You can design your own workstation using the available components with the 3D configurator at trestongroup.com.



Designing a Workshop workstation




- Select the appropriate bench top: steel or vinyl.
- Select a support for both ends of the bench top: adjustable or fixed leg or a drawer unit.
- Use a spacer bar to stabilise the bench.
- An accessory frame can be used instead of a spacer bar if upright tubes are used.
- Equip with accessories starting from page 24.




Workshop steel top

- Steel top 1.5 mm
- Epoxy powder coated dark-grey surface
- Blue plastic ends
- Plywood and chipboard core
- Threaded bushings for fixing legs and drawer units
- 3 mm steel top available on request
- Thickness 50 mm




Workshop top with steel edges

- Vinyl top
- Grey vinyl surface
- Galvanized steel front edge
- Plywood and chipboard core
- Threaded bushings for fixing legs and drawer units
- Thickness 50 mm



Workshop top with plastic edges

- Vinyl top
- Grey vinyl surface
- Blue plastic edging
- Plywood and chipboard core
- Threaded bushings for fixing legs and drawer units
- Thickness 50 mm



Workshop wooden top

- Beech multiplex, treated with linseed oil
- Pre-drilled holes for fixing legs and drawer units
- Thickness 40 mm

Workshop bench tops

Bench top Size W x D mm	Steel top 1,5 mm	Max load kg	Steel top 3 mm	Max load kg	Vinyl top with steel edges	Max load kg	Vinyl top with plastic edges	Max load kg	Wood top	Max load kg
1000 x 750	836 720-74	750			836 723-79	750				
1500 x 750	836 721-74	750	852 653-74 •	750	836 724-79	750	836 726-79 •	500	836 721-82	600
2000 x 750	836 736-74 •	500							836 736-82	360
2250 x 750	836 722-74	500	852 649-74 •	750	836 725-79	500	836 727-79 •	500		

Workshop legs


Name	Height mm*	Code
Adjustable leg	700-950	836 664-35
Fixed leg	800	836 303-35

* Height excluding top.



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).



• = non stock item



Spacer bar for Workshop bench

Spacer bar is used to stabilise the bench. It is necessary if the bench consists only of legs and bench top.

Width mm	Code
1000-1500	852 694-35
1500-2250	836 451-35



Accessory frame for Workshop bench

Accessory frame is needed if the bench is equipped with upright tubes. Replaces the spacer bar. Module spacing between mounting locations.

Width mm	Code
1000	852 693-35
1500	860 375-35
2000	860 725-35
2250	860 376-35



Accessories from page 24

There is a wide range of accessories available for Workshop bench.

Lower shelves for the Workshop bench

Not enough space above the workstation? Then utilise the space below. The lower shelf for Workshop bench simply hangs on the horizontal bars.

Name	Size W x D mm	Max load kg	Code
Lower shelf for adjustable leg for bench 1500	1370 x 648	200	924 35 012
Lower shelf for fixed leg for bench 1500	1370 x 648	200	924 35 014
Lower shelf for adjustable leg for bench 2000	1870 x 648	100	924 35 013
Lower shelf for fixed leg for bench 2000	1870 x 648	100	924 35 015
Lower shelf for adjustable leg for bench 2250	2120 x 648	100	924 35 016
Lower shelf for fixed leg for bench 2250	2120 x 648	100	924 35 018

The lower shelves include a backstop.



The Workshop bench can be fitted with a lower shelf for bulky items.



Structure of the bench top

For us, the bench top is an important part of a bench's structure. For example, the Workshop bench top is designed for very heavy loads. Because of the bench top's structure, the bench is very sturdy, even with the highest loads. The feet and the drawers are attached to the threaded bushings in the bench tops.



TP and TPH workbenches

The classically designed TP workbench is the ideal basic bench, the simplest and the most cost-effective option in our range of workbenches. TP workbenches are standard benches that are suitable for a broad range of tasks and environments when fitted with accessories: testing, packing, repairing, inspecting. TP bench is guaranteed for regular use with loads up to 300 kg.

Designed for use in today's production and assembly environments, this definitive modular system, developed over more than 35 years, provides a high quality working environment. Customise your workstation to your own requirements.

Stepless height adjustment

The height of workbenches in our TP range can be steplessly adjusted from 650 to 900 mm, which makes these benches suitable for work while sitting or standing. Packing is a typical example of work where the workbench height must be set correctly for the height of the user.



- Steel structure.
- A cost-effective option to start with.
- Easy to equip with a variety of accessories.



TP workbench examples



TP workbench Code C 120 41 300

Qty	Name	Size mm	Code
1	Workbench TP	1500 x 700	TP715
1	Accessory frame	1500	TPK15-35
1	Upright tube module	2 x M750	903 350 01



TPH workbench

Qty	Name	Size mm	Code
1	Workbench TPH	1500 x 700	TPH715
1	Drawer unit 45/14, 1 x100 drawer		603 35 002



TP workbench Code C 120 41 302

Qty	Name	Size mm	Code
1	Workbench TP	1500 x 700	TP715
1	Accessory frame	1500	TPK15-35
1	Upright tube module	2 x M750	903 350 01
1	Light/balancer rail	2 x M750	918 350 06
1	ProLite 28 light	1230	861 928 00
2	Metal shelf	M750 x 300	836 028-35
2	Bin profile	M750	859 151-35
10	Stacking bin		1525-5



TPH workbench

Qty	Name	Size mm	Code
1	Workbench TPH	1500 x 700	TPH715
1	Tool and lighting support KT	1500 x 600	KT150
1	Extra C-profile SPR	1500	SPR150
1	Perforated panel RL	1415 x 750	RL150
1	Overlight OL	1200	OL254



Accessories from page 24

TP bench with upright tubes can be equipped with the same accessories as Workshop bench.



The TP bench can be equipped with castors!


Castor set Ø100 Code 834 734 -00

Castor set Ø100 ESD Code 860 429 -00

Load capacity with castors 150 kg. We recommend using the fixing frame for the castors.



TP workbench



- Stepless height adjustment with allen-key between 650-900 mm.
- Frames are of epoxy powder coated steel in grey RAL 7035.
- Upright tubes (ordered separately) allow to attach a wide range of accessories.

Laminate bench top

- 25 mm low pressure laminate
- Light grey surface
- PVC edging

ESD bench top

- Light grey laminate surface
- Grey edging
- Thickness 25 mm
- Semi-conductive (ESD)

TP workbench

Bench size W x D mm	Max load kg	Code	Code ESD
700 x 500	150	TP507	TP507 ESD
1000 x 500	150	TP510	TP510 ESD
1500 x 500	150	TP515	TP515 ESD
1000 x 700	300	TP710	TP710 ESD
1200 x 700	300	TP712	TP712 ESD
1500 x 700	300	TP715	TP715 ESD
1800 x 700	300	TP718	TP718 ESD
1500 x 900	300	TP915	TP915 ESD
1800 x 900	300	TP918	TP918 ESD



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).





Accessory frame for TP bench

Upright tubes or the upright tube module are always attached to the TP bench with an accessory frame. The accessory frame cannot be used on line or corner extensions.

Bench frame width mm	Fixing points for uprights	Code
1200	1 x M750, 1 x M900, 1 x M1200	TPK12-35
1500	1 x M1500, 2 x M750	TPK15-35
1800	1 x M1800, 2 x M900	TPK18-35



Accessories from page 24

TP bench with upright tubes can be equipped with the same accessories as Workshop bench.

Lower shelf for TP

Not enough space above the workstation? Then utilise the space below. The lower shelf for TP bench simply hangs on the horizontal bars.

Name	Size W x D mm	Max load kg	Code
Lower shelf	1080 x 500	50	AT120 TPH
Lower shelf	1380 x 500	50	AT150 TPH
Lower shelf	1680 x 500	50	AT180 TPH



The TP bench can be fitted with a lower shelf.

SAP trolley

Construction as TP bench. Height adjustment with allen key between 650-900 mm. Swivel castors (Ø 100 mm), two of which have brakes. Load capacity 150 kg. Lower shelf and push handle available separately.

Name	Size W x D mm	Max load kg	Code	Code ESD
Trolley	700 x 500	150	SAP507	SAP507 ESD
Trolley	1000 x 700	150	SAP710	SAP710 ESD
Trolley	1500 x 700	150	SAP715	SAP715 ESD
Lower shelf	700 x 500	40	AT507	AT507 ESD
Lower shelf	1000 x 700	40	AT710	AT710 ESD
Handle	depth 500		PUSH50	PUSH50
Handle	depth 700		PUSH70	PUSH70



Trolley with a lower shelf and handle.



TP extension benches



Line extension TP-L

Each standard TP bench may also be supplied as a line extension. Fitted to side of main bench.



Bench size W x D mm	Max load kg	Code	Code ESD
1000 x 700	150	TP710 L	TP710 L ESD
1200 x 700	150	TP712 L	TP712 L ESD
1500 x 700	150	TP715 L	TP715 L ESD
1800 x 700	150	TP718 L	TP718 L ESD
1500 x 900	150	TP915 L	TP915 L ESD
1800 x 900	150	TP918 L	TP918 L ESD



Angle extension TP-K

Each standard TP bench may also be supplied as an angle extension. Fitted to front angle of main bench.

Bench size W x D mm	Max load kg	Code	Code ESD
1000 x 500	150	TP510 K	TP510 K ESD
1200 x 700	150	TP712 K	TP712 K ESD



Corner workbench TP-KK

A corner workbench can be used with two TP benches (with one H-frame pair) to create a 90° angle setup.

Bench size W x D mm	Max load kg	Code	Code ESD
1100 x 1100	150	TP707 KK	TP707 KK ESD •
1300 x 1300	150	TP909 KK	TP909 KK ESD

• = non stock item

This unit consists of a worktop, two side frames and a leg in the middle. Front side 565 mm.



TPH workbench

The TPH workbench already includes a pair of uprights and one shelf; composing our best selling workstation set. It has its own range of accessories, also in stock, and covering the essential, basic needs of any professional workstation.

Height adjustment with allen-key between 650-900 mm. Workbench with upright profiles and a laminate shelf, height adjustment between 1080-1550 mm, load capacity 50 kg. Construction as TP.

Workbench TPH

Bench size W x D mm	Shelf size W x D mm	Max load kg	Code	Code ESD
1200 x 700	1200 x 310	300	TPH712	TPH712 ESD
1500 x 700	1500 x 310	300	TPH715	TPH715 ESD
1800 x 700	1800 x 310	300	TPH718	TPH718 ESD
1500 x 900	1500 x 310	300	TPH915	TPH915 ESD
1800 x 900	1800 x 310	300	TPH918	TPH918 ESD



Accessories on page 30

There is a large range of workbench accessories available.



* Workbench with one H-frame pair.

Corner workbench TPH KK

A corner workbench can be used with two TPH workstations (with one H-frame pair) to create a 90° angle setup. This unit consists of a worktop and all necessary components. Load capacity 150 kg. Front side 565 mm.

Bench size W x D mm	Max load kg	Code	Code ESD
1100 x 1100	150	TPH707 KK	TPH707 KK ESD •
1300 x 1300	150	TPH909 KK	TPH909 KK ESD

• = non stock item

Power channels for TPH

Dims mm	Suitable for	Code
Profile 1058	TPH712	TJK120
Profile 1358	TPH715/ 915	TJK150
Profile 1658	TPH718/ 918	TJK180
Includes 3 x E1, E2	TPH715/ 915	TJK150 SET
Includes 3 x E1, E2	TPH718/ 918	TJK180 SET
Double socket		E1
Switch		E2
Automatic fuse 10 A		E3
Automatic fuse/earth leakage switch 10 A/30 mA		E4
Emergency-stop-switch		E5
Data connector/shielded for Cat.6 cable		E6
Data connector/without screen for Cat.5 cable		E7
Pneumatic, quick coupling 3/8"		E8

The finished TJK 150 SET and TJK 180 SET include 3 double sockets (E1) and a switch (E2). (Other SETs are also available.)



Power channels for TPH

Constructed from aluminium profile, this range of compact power channels provides power distribution for TPH benches. Pre-assembled with a choice of components, ordered separately. The power channel is isolated from the workbench. 3 m cable is included. Aluminium profile 72 x 72 mm. All meet with CE requirements.



Power channel TJK

Accessories for Workshop and TP



The modular (M) size refers to the distance between two upright tubes from the middle of the tube. The modular size is used to find the appropriate accessories.



Upright tube modules

For the TP-bench we recommend using the upright tube modules if you choose a central upright. (TP: the centre upright is unstable without the horizontal bar).

Upright tube modules for TP benches

Suitable for bench widths			Code	Code
	1200	1500	1800	
1 x M750	TP			900 35 001
1 x M900	TP			901 35 001
2 x M750		TP		903 35 001
2 x M900			TP	904 35 001

Load capacity 100 kg / module spacing.

Upright tubes are the basic element for accessorising our industrial furnishings. Accessories are attached to TP and Workshop benches with the aid of upright tubes or a pre-assembled, upright tube module. The module includes upright tubes, horizontal tube/tubes, corner bracket pair and straight bracket (if module has more than one horizontal tube). The upright tubes or the upright tube module are attached to the back of the TP bench with accessory frame (ordered separately).

Upright tubes

Name	Size mm	Length (l) mm	Code
Upright tube	30 x 60	500	860 991-35
Upright tube	30 x 60	800	860 142-35
Upright tube	30 x 60	996	860 367-35
Upright tube	30 x 60	1359	860 024-35
Upright tube	30 x 60	1582	860 025-35
Upright tube pair*	30 x 30	1219	854 038-35

* Used in the service trolley (page 48).

Horizontal tube	M500	860 819-35
Horizontal tube	M750	847 402-35
Horizontal tube	M900	840 104-35

Corner bracket pair	848 336-35
Straight bracket	851 827-35

Upright tubes and compatibility

	Bench width					
	1000	1200	1500	1800	2000	2250
1 x M750	W	TP	W		W	W
1 x M900	W	TP	W		W	W
1 x M1200		TP				
1 x M1500			TP/W		W	W
1 x M1800				TP	W	W
2 x M500	W		W		W	W
2 x M750			TP/W		W	W
2 x M900				TP	W	W
3 x M500			W		W	W
3 x M750						W
4 x M500					W	

W = Workshop





Light and balancer rail

Apart from task lights all luminaires are fitted to light/balancer rails which are height and depth adjustable. Tool balancer rails and sliding hooks facilitate the use of heavy equipment. A tool balancer is fixed to the light/balancer rail.

Light and balancer rail (includes one sliding hook)

Modular size	Width of the front profile mm	Max load kg	Code
2 x M500	1000	15	918 35 001
2 x M500/1500	1500	15	918 35 002
4 x M500	2000	15	918 35 003
M750	750	15	918 35 004
M750/1500	1500	15	918 35 005
2 x M750	1500	15	918 35 006
3 x M750	2250	15	918 35 012
M900	900	15	918 35 007
2 x M900	1800	15	918 35 008
M900/1500	1500	15	918 35 009
M1200	1200	15	918 35 010
M1350	1350	15	918 35 011

With extension benches you also need a center bracket, code 860 074-35.




Tool balancers and other supplies

Name	Tool weight kg	Code
Tool balancer 2DU	0,5 - 1	939 502-00
Tool balancer 4DU	1 - 2	939 503-00
Sliding hook		940 453-00



Tool balancer



Sliding hook

Energy rails, distributor for compressed air

Energy rails (brackets for uprights included)

Width mm	fixing	Code
1	440 8 sockets + on/off switch	910 51 001
2	440 6 sockets + fault current protection	910 51 002
3	M750 6 sockets + on/off switch	911 51 002
	M900 7 sockets + on/off switch	911 51 003
Bracket pair for perforated panel		853 185-51

Energy rails are available in three module sizes: M500, M750 and M900.

Distributor for compressed air

Connections, Ø 8 mm	In	Out	Fixing	Code
4 Distributor for compressed air	1	2	vert.	859 861-00

Connectors are compatible with the CEJN 3200 series.

Can be fitted to all Treston Group benches.





Upright accessories



LCD-holder & keyboard tray




Document holder



Curved suspension rail with extension rail



Tool panel



Rotating tool panel with perforated panel and R-hooks

IT shelves and trays

Name	Size W x D mm	Max load kg	Code
LCD holder with double arm		15	930 35 002
Keyboard tray for LCD holder	480 x 260	5	860 941-35
Keyboard and mouse tray for LCD holder	620 x 260	5	860 942-35

Document holders

Name	Size W x D mm	Max load kg	Code
Document holder A4	290 x 330	5	928 35 008
Document holder A3	418 x 330	5	928 35 009

Suspension rails with arms

Name	Size W x D mm	Max load kg	Code
Curved suspension rail with arm	770 x 54	15	929 35 002
Extension for curved suspension rail with arm	770 x 54		860 911-35

Tool panel

Name	Size W x D mm	Max load kg	Code
Tool panel	267 x 305	5	928 35 010

Rotating tool panels



Name	Size W x D mm	Max load kg	Code
Rotating tool panel, height-adjustable arm	513 x 320	15	860 864-35
Rotating tool panel, double arm	513 x 320	15	880 865-35
Perforated panel	470 x 300		860 951-35
Tool trough M500	470 x 150		860 952-35
Suspension rail M500	492 x 90	50	860 811-35
Light suspension rail M500	492 x 54	10	860 953-35

Plastic boxes, hooks and tools in pictures are not included.



Rotating tool panel

The rotating tool panel can be equipped with perforated panels and tool troughs. The rotating tool panel is compatible with all M500 accessories, such as the tool trough and the suspension rails.



The modular (M) size refers to the distance between two upright tubes from the middle of the tube. The modular size is used to find the appropriate accessories.

Shelves




Shelves

Name	Module	Size W x D mm	Max load kg	Code
Steel shelf	M500	490 x 300	50	860 804-35
Steel shelf	M500	490 x 400	50	860 805-35
Steel shelf	M750	740 x 300	50	836 028-35
Steel shelf	M750	740 x 400	50	852 770-35
Steel shelf	M900	890 x 300	50	852 283-35
Steel shelf	M900	890 x 400	50	852 769-35
Steel shelf	M1200	1167 x 300	80	854 480-35
Steel shelf	M1200	1167 x 400	80	854 483-35
Steel shelf	M1500	1467 x 300	80	854 481-35
Steel shelf	M1500	1467 x 400	80	854 484-35
Steel shelf	M1800	1773 x 300	80	854 482-35
Steel shelf	M1800	1773 x 400	80	854 485-35



Steel shelf



Divider pair

Divider pair for shelves M500, M750 and M900

Name	Size W x D mm	Code
Divider pair	285 x 190	010 004-35
Divider pair	385 x 190	010 005-35

Divider pair for shelves M1200, M1500 and M1800

Name	Size W x D mm	Code
Divider pair	285 x 190	861 116-35

Small storage solutions

Small storage solutions

Name	Module	Size W x D x H mm	Max load kg	Code
Sliding door cabinet	M1500	1500 x 252 x 800	30	ROTK1500
Sliding door cabinet	M2000	2000 x 252 x 800	30	ROTK2000
Perforated tool cabinet	M500	470 x 250 x 600	20	854 039-07
Perforated tool cabinet	M750	720 x 255 x 900	60	852 629-07
Shelf for M750 perforated tool cabinet		715 x 175 x 15	10	836 273-35
Personal safety equipment cabinet	M750	720 x 330 x 900	60	860 987-07
Sliding door cabinet	M750	720 x 370 x 400	40	860 970-35
File cabinet with two shelves	M750	720 x 330 x 900	60	860 980-35
CD/folder box, fitted to upright tube		130 x 290 x 330	5	860 983-35



NEW: Sliding door cabinet

Can be fixed to the upright tubes, to the worktop or to the wall. Sliding doors are plastic.



Sliding door cabinet



Perforated tool cabinet



Personal safety equipment cabinet



Sliding door cabinet



File cabinet with two shelves



CD/folder box




Stacking bins and shelf bins



Bin rail M750 with brackets and blue stacking bins.



Light bin rail M750 with brackets and red stacking bins.



Another way of ensuring an ergonomic working position and saving space is to use bin rails. The higher the rails are, the further they are from the workstation. To ensure an ergonomic working position, use the extension bracket pair on the higher rails. The bin rails are available in six standard module sizes.

Bin rails

Name	Suitable for module	Size W x D mm	Max load kg	Code
Bin rail	M500	492 x 100	50	859 150-35
Light bin rail *	M500	492 x 54	10	860 953-35
Bin rail	M750	742 x 100	50	859 151-35
Light bin rail *	M750	742 x 54	10	860 955-35
Bin rail	M900	895 x 100	50	859 152-35
Light bin rail *	M900	895 x 54	10	860 956-35
Bin rail	M1350	1343 x 100	50	859 153-35
Bin rail	M1500	1493 x 100	50	859 154-35
Bin rail	M1800	1799 x 100	50	859 155-35
Extension bracket pair		60	50	860 919-35

* Suitable only for picking bins 30-1L, 30-2L and 30-23L.

Stacking bins

Our stacking bins have been designed for daily use in stores, production facilities and warehouses. These bins have been designed to fit all standard metric shelves, paternosters and industrial workstations. Bins of the same width stack securely, even if they are of different lengths. Straight sides ensure an efficient use of space.

Stacking bins

No.	Capacity l	Outer dims W x D x H mm	Inner dims W x D x H mm	Pack pcs	Code.* blue	Code.* red	Code.* ESD black	Labels + shields	Pack min. order	Cross divider
1.	1,0	105 x 165 x 75	90 x 105 x 65	60	1015-6	1015-5	1015-4 ESD	E10	60	
	3,6	149 x 250 x 130	125 x 185 x 115	30	1525-6	1525-5	1525-4 ESD	E15	30	V-14
	6,5	186 x 300 x 156	155 x 230 x 140	24	1930-6	1930-5	1930-4 ESD	E20	24	V-19
	8,7	186 x 400 x 156	155 x 330 x 140	24	1940-6	1940-5	1940-4 ESD	E20	24	V-19
2.	1,0	99 x 160 x 70	85 x 100 x 62	60	30-1L-6		30-1L-4 ESD			
	1,7	198 x 160 x 70	175 x 100 x 62	30	30-2L-6		30-2L-4 ESD			
	1,7	198 x 160 x 70	175 x 100 x 62	30	30-23L-6		30-23L-4 ESD			
			(2 fixed length dividers)							

*) Code/one item. All bins are also available in grey colour (colour code -3).

Fixing stacking bins on the bin rail

Bin rail	M500	M750	M900	M1350	M1500	M1800	Curved bin rail
1015	4	7	8	12	14	17	
1525	3	5	6	9	10	12	
1930 & 1940	2	4	4	7	8	9	
30-1L	5	7	9	13	15	17	5
30-2L & 30-23L	2	3	4	7	7	9	



Shelf bins

Self bins are designed to fit all standard metric shelves, cabinets, paternosters and industrial workstations.

Bins of the same width stack securely, even if they are of different lengths. Straight sides ensure an efficient use of space, and the bins are available in several bright colours to facilitate product identification. Each drawer comes with a label and protective cover.



Shelf bins


Cross dividers

Capacity l	Outer dims W x D x H mm	Inner dims W x D x H mm	Pack pcs	Code* blue	Code.* red	Code.* ESD black	Code*	Number /bin
1,9	92 x 400 x 82	75 x 357 x 70	30	4010-6	4010-5	4010-4 ESD	D-10	6
2,4	92 x 500 x 82	75 x 457 x 70	30	5010-6	5010-5	5010-4 ESD	D-10	8
4,2	186 x 400 x 82	167 x 357 x 70	15	4020-6	4020-5	4020-4 ESD	D-20	6
5,3	186 x 500 x 82	167 x 457 x 70	15	5020-6	5020-5	5020-4 ESD	D-20	8
6,5	186 x 600 x 82	167 x 557 x 70	15	6020-6	6020-5	6020-4 ESD	D-20	10

*) Code/one items. All bins are also available in grey colour (colour code -3).



Accessories for TPH



Metal shelf TH



Bin profile BP



Auxiliary shelf SH



Perforated panel RL



Tool and lighting support KT



Swivel arm with tray CKV

Metal shelf TH

Size W x D mm	Max load kg	Suitable for	Code	Code ESD
1119 x 145	30	TPH712	TH120	TH120 ESD
1419 x 145	30	TPH715/ 915	TH150	TH150 ESD
1719 x 145	30	TPH718/ 918	TH180	TH180 ESD

Adjustment for depth, height and angle. For stacking and picking bins. Load capacity 30 kg.

Bin profile BP

Width mm	Max load kg	Suitable for	Code	Code ESD
profile 1115	15	TPH712	BP120	BP120 ESD
profile 1415	15	TPH715/ 915	BP150	BP150 ESD
profile 1715	15	TPH718/ 918	BP180	BP180 ESD

Aluminium profile for stacking and picking bins.

Auxiliary shelf SH

Size W x D mm	Max load kg	Suitable for	Code	Code ESD
1200 x 310	50	TPH712	SH120	SH120 ESD
1500 x 310	50	TPH715/ 915	SH150	SH150 ESD
1800 x 310	50	TPH718/ 918	SH180	SH180 ESD

Height adjustable shelf. 25 mm laminated particle board.

Perforated panel RL

Size W x H mm	Suitable for	Code	Code ESD
1115 x 750	TPH712	RL120	RL120
1415 x 750	TPH715/ 915	RL150	RL150
1715 x 750	TPH718/ 918	RL180	RL180
Panel hooks for TPH	TPH	RK1	RK1

Robust, perforated steel panel. 9 mm perforations at 38 mm centres. Mount on TPH-benches with connectors RK 1. Can also be attached to a wall with screws (included).

Tool and lighting support KT

	Size W x D mm	Suitable for	Code	Code ESD
	1200 x 600	TPH712	KT120	KT120
	1500 x 600	TPH715/ 915	KT150	KT150
	1800 x 600	TPH718/ 918	KT180	KT180
Extra C-profile	1500	KT150	SPR150	SPR150
Extra C-profile	1800	KT180	SPR180	SPR180

For suspending power tools and lighting units. Includes one C-profile bar with sliding hook.

Swivel arm with tray CKV

Size W x D mm	Max load kg	Suitable for	Code	Code ESD
Tray 210 x 460	15	TPH	CKV400	CKV400 ESD

Swivel arm with lockable, angle adjustable steel tray. Load 15 kg. Mount on C-profile.

Upright profiles HKCP

Height mm	Suitable for	Code	Code ESD
1470	TPH	HKCP147	HKCP147

If you mount both perforated panel RL and cable channel TJK to TPH benches, you must order extra-high upright profiles.

Component rack EPL

Size W x D x H mm	Suitable for	Shelves number	Code ESD
455 x 200 x 290	CKV	3	EPL12 ESD

Rack with three fixed shelves. Of semiconductive epoxy powder coated steel in light grey (RAL 7035).



Component rack EPL

Cable tidy TPHCT

Size W x D x H mm	Suitable for	Code	Code ESD
1115 x 45 x 205	TPH712	TPHCT120	TPHCT120
1415 x 45 x 205	TPH715/ 915	TPHCT150	TPHCT150
1715 x 45 x 205	TPH718/ 918	TPHCT180	TPHCT180

Mounted between C-profiles below worktop. Of perforated epoxy powder coated steel.



Cable tidy TPHCT

Cable clip set CC

Set	Max load kg	Suitable for	Code	Code ESD
5 pcs/set	15	TPH	CC12	CC 12

The cable clip set will hold cables etc. securely and neatly in place along the bench frame. The clips locate in the 12 mm profile slot.



Cable clip set CC

PC stand CPU

Width mm	Height mm	Suitable for	Code
Vertical 130-240	395-500	TP/TPH benches	CPU
Horizontal 340-460	180-285		

An adjustable holder for either vertical or horizontal CPU, to mount underneath the bench worktop.



PC stand CPU

LCD bracket MH and LCD swivel arm MA and MA2

Max load kg	Suitable for	Code
15	TPH benches	MH
10	TPH benches	MA
15	TPH benches	MA2

The quick-release mechanism is equipped with the standard flat-screen mount 75 x 75 and 100 x 100 for the mounting of all normal flat-screens. Connector HKC-MH/MA needed for mounting LCD bracket MH to TPH benches, ordered separately.

MA and MA2 arms are double articulated, they turn through a radius of 180° and will extend between 95-425 mm from the upright. Connector HKC-MH/MA or HKC-MA2 needed for mounting LCD swivel arms to TPH benches.



LCD bracket MH



LCD swivel arm MA



LCD swivel arm MA2

Connector HKC

Suitable for	Code
LCD bracket MH	HKC-MA/MH
LCD swivel arm MA	HKC-MA/MH
LCD swivel arm MA2	HKC-MA2

Connector HKC-MA/MH or HKC-MA2 is needed for mounting LCD bracket /swivel arm to TPH benches.



Lighting





Lighting ergonomics



When designing workstations and their lighting, we observe the recommendations of the EN 12464-1 standard on indoor workplace lighting. These recommendations apply mainly to the actual workstation and its immediate surroundings. The conditions set by the standard must be met in every location where the workstation could be placed. This becomes possible only with adequate, ambient lighting or quality workstation lighting, the latter often being the more cost-efficient solution.


When designing the workstation lighting, the requirements of the work are determined first. A task that demands a good eye for detail usually calls for a spotlight. If the viewed object is square, at least two lights are necessary, in order to remove shadows. If the viewed object is a level surface, it can be illuminated with one long fluorescent lamp – though it is important to remember to direct any reflections away from the employee.

Optical ergonomics requires optimised conditions

Optical ergonomics relates to optimal viewing conditions; where the work performed does not unduly stress the eyes, even when working constantly over long periods of time. This requires the viewed object, such as a piece of equipment being assembled, to be at a suitable distance and direction, in order to keep eye movements at an acceptable level and ensure that the details can be seen without problems.


Another important requirement is adequate and glare-free lighting. In particular, poor viewing conditions affect presbyopic people (on average above 45 years of age) whose closest possible viewing-point is at a distance of around 50 cm. If the employee uses reading glasses at work, the position of the viewed object and the lighting require some additional attention.

When optical ergonomics have been integrated in the environment and the working position is well adjusted, you can expect to save time and money due to fewer absences and decreased stress.



Optical ergonomics requires the viewed object to be at a suitable distance and direction, in order to keep eye movements at an acceptable level

LED magnifying task light




The magnifying task light is suitable for precise work for professionals in industry, research and development, laboratories, the medical profession, precision crafts, beauty clinics, the visually impaired etc.

Magnifying light ZL3


The new technology LED light creates the same amount of bright, flicker free light as a comparative fluorescent light but saves up to 75% electricity. The light has a 3 dioptr magnifying glass and an easy to use multi joint arm to be connected to a bench top.

Light is produced by 6 powerful LEDs that can be adjusted according to needs; the left and right sides can be independently adjusted in steps. The light has a last-setting memory and the original settings can be reset. Environmentally friendly and long life LEDs do not flicker or react to bumps and vibrations


Name	Width mm	Lamp power	Code
Magnifying light	310	18 W	ZL3



Distance 20 cm



Distance 50 cm




Graph of light intensity

Work surface dimensions: 60 x 60 cm. Distance of light from surface: 20 cm and 50 cm. Unit of measure: lux (lx). The higher the number, the stronger the light.




Lighting units



NEW

HiLite LED Lighting level 1 m ~ 1800 lx



HiLite 54 Lighting level 1 m ~ 1350 lx



ProLite 28 Lighting level 1 m ~ 750 lx



SatelliTe 36 Lighting level 1 m ~ 800 lx



Task Light Lighting level 1 m ~ 400 lx

HiLite LED lamp is a top model representing state-of-the-art technology. The lamp has an excellent price-quality ratio, since it consumes little energy and consequently has a long service life. The HiLite LED is particularly suited to lighting tasks that require precision, such as assembly and inspection.

HiLite 54 is a powerful workbench light for the precise illumination of tasks that require high accuracy, such as electronics assembly, fine mechanical assembly, laboratories and testing.

ProLite 28 is a standard light for workbenches where good general lighting is required but high accuracy is not necessary, for example packing stations.


SatelliTe 36 is a side light designed to illuminate areas not reached by general lighting.

Task Light is an adjustable spotlight for tasks that require high accuracy, for example electronics repair and fine detailed mechanical work.

Name	Width mm	Lamp power	Suitability	Code
HiLite LED	1230	LED	all benches	861 956-00
HiLite 54*	1230	54 W	all benches	861 954-00
ProLite 28*	1230	28 W	all benches	861 928-00
SatelliTe 36*	500	36 W	TP benches	861 936-00
Task light	485	36 W	TP benches	860 181-35

* equipped with an electronic starter

Apart from task light luminaires can be mounted on all lamp mounts produced by Treston Group (Workshop/TP: light and balancer rail, page 25 / TPH: tool and lighting support KT, page 30).



Optical ergonomics require adequate and glare-free lighting



Overlight OL 254 D




Sidelight SL 224

Overlight OL 254 and sidelight SL 224 are suitable for use with moving machinery giving asymmetric lighting with minimal shadow. (Flicker free tubes ensure that rotating objects will not appear to be stationary, a common optical effect when standard fluorescent tubes are used.) Silver grey anodized aluminium frame with an anti-dazzle screen. Angle continuously adjustable. With integrated switch and 3 m cable. The lighting units are isolated from the workbench.

Name	Width mm	Lamp power	Suitability	Code
Overlight OL254	1200	2 x 54 W	all benches	OL254
Overlight with dimmer OL254 D	1200	2 x 54 W	all benches	OL254 D
Sidelight SL224	590	2 x 24 W	WB and TPH benches	SL224

Overlights can be mounted on all lamp mounts produced by Treston Group (Workshop and TP: light and balancer rail, page 25 / TPH: tool and lighting support KT, page 30).

Mounting kit SL-HKC required for use of sidelight with TPH benches; ordered separately.



Graph of light intensity

Light intensity (lux) is tested on a horizontal worktop using the OL 254. The diagram below shows the results. Worktop size is 700 x 1500 mm, height of light unit above worktop is 1000 mm. The lux (lx) is the SI unit of illuminance and luminous emittance measuring luminous power per area.



Chairs





Chairs that are not only ergonomic but also stylish

The chair is a very important part of the ergonomics of a workstation. Even if the workstation is designed according to all rules of ergonomics, a bad chair can destroy the final result. An ergonomic chair and a well-designed workstation make working productive and comfortable.

Upholstered chairs

Our upholstered chair range fulfils seating requirements from the production environment through to the office and meeting room. Optimum ergonomics improve workplace.

Industrial chairs

Durable industrial chairs constructed with a cushioned polyurethane seat and back that can be washed or steam cleaned. The chairs are very comfortable to sit in and offer excellent lumbar support. The grooves act as lines giving the chairs a new strong visual effect and lightness.

Ergonomic seating

The chair is very important part of the ergonomics of a workstation. In order to get the best possible support in various working positions the chair must be adjusted correctly to every user.



Seat height




Seat tilt




Backrest tilt



Backrest height



Armrests can be adjusted front- or backwards (X-series)





1. Polyurethane chair X25 PU

- seat and backrest are formed polyurethane
- adjustment for seat height, seat tilt, backrest height and backrest tilt
- floor glides and foot ring included
- armrests as an option



2. Polyurethane chair X20 PU

- seat and backrest are formed polyurethane
- adjustment for seat height, seat tilt, backrest height and backrest tilt
- castors brake when unloaded
- armrests as an option



3. Stool X10 PU

- seat is formed polyurethane
- adjustment for seat height
- castors brake when unloaded



10. Stool X15 PU

- construction as X10, but slightly higher



4. Task chair S

- adjustment for seat height, seat tilt, backrest height and backrest tilt
- abrasion resistance: 60 000 Martindale (60 000 Martindale with ESD-textile)
- castors (no break)
- armrests and higher gas spring as an option

Chairs

Product	Height adjust	Seat size mm	Backrest size mm	Code	Code ESD
1. Polyurethane chair X25 PU, black	490-730	370 x 425	350 x 265	X25 PU	X25 PU ESD
2. Polyurethane chair X20 PU, black	400-540	370 x 425	350 x 265	X20 PU	X20 PU ESD
3. Stool X10 PU, black	370-510	Ø 350		X10 PU	X10 PU ESD
4. Stool X15 PU, black	490-730	Ø 350		X15 PU	X15 PU ESD
5. Task chair S, grey	400-550	480 x 470	420 x 380	862 013-00	
Task chair S ESD, black	400-550	480 x 470	420 x 380		862 001-00


Accessories for chairs

Product	Height adjust mm	Dimension mm	Compatibility	Code	Code ESD
Arm rests X-series	140-220		X-series	AR	AR ESD
Arm rests, task chair S	160-220		Task chair S	862 007-00	862 006-00
Gas lift	400-540/410-550/420-560		X20 PU/X30/X40	4046	
Gas lift	500-740		X35/X25 PU	4047	
Gas lift	370-510		X10	4046	
Gas lift, black	530-720		Task chair S	862 008-00	
Gas lift, ESD, chrome	530-720		Task chair S, ESD		862 009-00
Foot ring, chrome			X35, X25PU	8766	
Foot ring, chrome		Ø 440	Task chair S	831 190-50	
Swivelling twin castor for soft floors (brake unloaded), black standard in X10 - X30		Ø 50	all chairs	4044	
Soft swivelling twin castor for hard floors (brake unloaded), black/grey standard in X40		Ø 50	all chairs	4061	
Crome swivelling twin castor for soft floor (brake loaded) •		Ø 50	all chairs	9723	
Floor glide, standard in X25 PU, X35		Ø 14/50, k: 39,5		4043	4060

• = non stock item



Trolleys





The castors are equipped with brakes to ensure your safety on uneven surfaces.

Freedom of mobility with trolleys

Increased productivity with mobility

Work is not always confined to a single workstation and tools must be moved around accordingly. Lightweight trolleys are ideal for this situation, significantly increasing productivity by up to 30%.

Each task is different and requires dedicated tools. Due to their modularity and versatile accessory components, trolleys are easy to design and adapt to suit a multitude of users and applications.





Heavy-duty trolley

Heavy-duty trolleys, as their name indicates, are ideal for moving heavy loads. Their special castors support extremely heavy weights.



Fitter's trolley

A fitter's trolley with drawers lets you take your tools wherever you go, while keeping them organised. The rubber mat helps keep tools in place while you are working.



Service trolley

The service trolley frame is equipped with a safety locking feature that allows only one drawer to be opened at a time.



Storage trolley

An easy solution for mobile storage, the storage trolley has an adjustable middle shelf, and the shelves are fitted with standard rubber mats.



Basic trolley

Equip your trolleys with shelves, tops and other accessories to fit any application, such as transportation or tool storage.



Industrial trolley IT

A versatile trolley that has been designed for use in light assembly, test and repair areas.



Heavy-duty trolley




Heavy-duty trolleys, as their name indicates, are ideal for moving heavy loads. Their special castors support extremely heavy weights. The total capacity of the basic model is up to 600 kg!

The heavy-duty trolleys are equipped with two fixed castors (Ø 160 mm) and two swivel castors with brakes.

Heavy-duty trolley 3,
code C 750 07 103

Top 1000 x 750 mm
Worktop height 960 mm



Heavy-duty trolley 1, code C 750 41 001



Heavy-duty trolley 2, code C 750 41 002



Heavy-duty trolley 4, code C 750 41 004
The cone bracket holder can hold up to 48 ISO cone brackets (cone bracket page 64).

Heavy-duty trolleys

Name	Size W x D x H mm	Max load kg	Code
Heavy-duty trolley 1	935 x 785 x 940	600	C 750 41 001
Heavy-duty trolley 2	935 x 785 x 940	600	C 750 41 002
Heavy-duty trolley 3	1000 x 810 x 1640	600	C 750 07 003

Heavy-duty trolley accessories

Name	Size W x D x H mm	Max load kg	Code
Shelf •	812 x 770 x 30	400	852 671-35
Cone bracket holder, ISO •	812 x 770 x 52	500	852 673-35

• = non stock item

Heavy-duty trolley 3

Qty	Name	Size mm	Code
1	Bottom shelf	933 x 780	852 666-35
1	Perforated uprights, pair	661	852 668-35
1	Perforated uprights, pair	1359	852 667-35
1	Cross support, pair		852 669-35
1	Handle		852 670-35
1	Pvc-top, steel edges	1000 x 750	836 723-79
1	Corner hooks		848 336-35
1	Horizontal tube M900	873	840 104-35
1	Fixed castors		900 040-00
1	Swivel castors		900 041-00
1	Perforated panel	870 x 389	861 516-35
1	Suspension rail M900	895	859 152-35
6	Plastic box 1525-5		806 208-00
1	Fixing set		870 811-00
1	Drawer unit 55/37	550 x 715 x 370	611 07 001

Fitter's trolley



A fitter's trolley lets you take your tools wherever you go, while keeping them organised. The rubber mat helps keep tools in place while you are working and the drawer unit comes equipped with a safety lock that prevents other drawers from opening while one drawer is open. This helps to keep the trolley in balance – even with heavy loads.

The fitter's trolleys are equipped with four swivel castors (Ø 100 mm), two of which have brakes. Fitter's trolley can be combined with all M750 accessories.

Fitter's trolleys

Name	Module	Size W x D x H mm	Max load kg	Code
Fitter's trolley 1	M750	800 x 715 x 855	300	C 730 41 001
Fitter's trolley 2	M750	800 x 715 x 855	300	C 730 41 002
Fitter's trolley 3	M750	800 x 715 x 855	300	C 730 41 003
Fitter's trolley, frame	M750	800 x 715 x 855	300	C 730 41 000
Fitter's trolley 4 •		795 x 715 x 915	300	C 730 07 004

• = non stock item

Fitter's trolley accessories

Name	Size W x D x H mm	Max load kg	Code
Bottom shelf with rubber mat	720 x 560 x 32	150	852 719-41
Bottom shelf with HDPE plastic covering	720 x 560 x 32	150	852 683-41
Shelf with rubber mat	720 x 560 x 32	150	852 720-41
Shelf with HDPE plastic covering	720 x 560 x 32	150	852 684-41
Extendable shelf + brackets	720 x 580 x 33	50	852 687-35


Fitter's trolleys can be combined with all M750 accessories.

Cone rack with hooks HSK, Capto, ISO

Name	Size W x D x H mm	Code
Cone rack with hooks	742 x 188 x 90	854 430-35



Cone rack with hooks



Fitter's trolley 1



Fitter's trolley 2



Fitter's trolley 3

Fitter's trolley 3 includes 6 cone racks. Tool brackets, page 64, ordered separately.



Fitter's trolley 4



Service trolley

























Customize your service trolley with a selection of hooks from p. 90-93.

Service trolley
Size 710 x 480 x 875 mm
Max load 300 kg

The service trolley frame is equipped with a safety locking feature that allows only one drawer to be opened at a time. The cover comes as standard with a separate rubber mat that prevents items from slipping.

Both sides of the trolley have standard, perforated panels that you can accessorise with brackets and mountings, to suit any application. Service trolleys are also equipped with two fixed castors (Ø 150 mm) and two swivel castors including brakes (Ø 100 mm).

Service trolleys

Model	Service trolley 1	Service trolley 2	Service trolley 3	Service trolley 4	Service trolley 5	Service trolley 6	Service trolley 7	Service trolley 8
Code	710 07 001	710 07 002	710 07 003	710 07 004	710 07 005	710 07 006	710 07 007	710 07 008
Height (mm) of the drawer	3 x 75 	2 x 75 	1 x 75 	5 x 75 	2 x 75 	1 x 100 	1 x 100 	1 x 100 
	1 x 125 	2 x 100 	4 x 100 	1 x 100 	2 x 100 	2 x 250 	2 x 125 	4 x 125 
	1 x 250 	2 x 125 	1 x 125 	1 x 125 	1 x 250 		1 x 250 	

Internal drawer dimensions: 600 x 345 x 63/88/113/238 mm.





Accessorised service trolley


By attaching the upright tube pair 30 x 30 mm (code 854 038-35), you can use all the M500 accessories.

Accessories for service trolley (in the picture)

Qty	Name	Size mm	Code
1	Perforated upright pair	30 x 30 x 1219	854 038-35
1	Perforated tool cabinet	470 x 200 x 600	854 039-07
1	Suspension rail	M500	860 953-35
5	Plastic container		30-1L-4 ESD
1	Vice support		854 037-06
1	Pick-up box holder	165 x 48 x 456	854 042-35
4	Pick-up box	149 x 85 x 48	851 843-00
1	Utility box	155 x 90 x 410	854 041-35
1	Paper roll dispenser		854 043-35
1	Waste bucket holder		854 044-35
1	Waste bucket		839 159-00
1	Folder compartment	466 x 90 x 240	854 040-35



Drawer interiors for service trolley



Tool troughs 45 and 70 mm

Drawer 71/75 854 066-00




Middle dividers and plates 2

3 x middle divider, 6 x middle plate 150 and 2 x middle plate 300*

Drawer 71/75 854 069-35

Drawer 71/100 854 070-35

Drawer 71/125 854 070-35



Pick up boxes

Drawer 71/75 854 064-00



Rubber mat for the drawer bottom

Rubber mat 71 854 078-00

* One example of interior solutions shown in picture.

Storage trolley

An easy solution for mobile storage, the storage trolley has an adjustable middle shelf, and the shelves are fitted with standard rubber mats.

The trolley is equipped with four swivel castors (Ø 100 mm), two of which have brakes.

Storage trolley

Name	Size W x D x H mm	Max load kg	Code	Code ESD
Storage trolley	650 x 450 x 775	3 x 30	852 773-41	852 773-35





Basic trolley



Basic trolley 1




Basic trolley 2




Basic trolley 3



Basic trolley 4



Basic trolley 5



Basic trolley frame

Equip your trolleys with shelves, tops and other accessories to fit any application, such as transportation or tool storage.

All trolleys are equipped with four swivel castors (Ø 125 mm), two of which have brakes. The basic trolley can be combined with all the M750 accessories.

Basic trolleys

Name	Size W x D x H mm	Max load kg	Code
Basic trolley 1	800 x 715 x 1625	350	C 740 35 101
Basic trolley 2	800 x 715 x 1625	350	C 740 07 102
Basic trolley 3	800 x 715 x 1625	350	C 740 41 003
Basic trolley 4	800 x 715 x 1625	350	C 740 07 004
Basic trolley 5	800 x 715 x 1625	350	C 740 41 105
Basic trolley frame	800 x 715 x 1625	350	C 740 41 000

Basic trolley accessories

Name	Size W x D x H mm	Max load kg	Code
Bottom shelf with rubber mat	720 x 560 x 32	150	852 719-41
Bottom shelf with HDPE plastic covering	720 x 560 x 32	150	852 683-41
Shelf with rubber mat*	720 x 560 x 32	150	852 720-41
Shelf with HDPE plastic covering*	720 x 560 x 32	150	852 684-41
Steel shelf*	720 x 560 x 32	150	852 685-35
Steel shelf	720 x 560 x 32	150	852 665-35
Extendable shelf*	720 x 580 x 33	50	852 687-35
Wash basket L-300	380 x 302 x 110	20	839 116-51
Waste basket			839 159-00
Waste basket holder			835 773-35
Paper roll holder	Roll dimensions max: width 240 mm, Ø 230 mm)		860 310-35

Trolleys can be combined with all the M750 accessories. For perforated panels, see p. 88, for R-hooks, see p. 90.

*including brackets

Industrial trolley IT



A versatile trolley that has been designed for use in light assembly, test and repair areas. Frames are of epoxy powder coated steel in grey RAL 7035, with perforated profiles: adjustment in 39 mm increments.

One perforated panel is included with the trolley, size 200 x 685 mm. Bottom shelf of steel with fluted rubber mat. Four castors Ø 125 mm, two with brakes. Load capacity 150 kg.

Industrial trolley IT

Name	Size W x D x H mm	Max load kg	Code
1 Industrial trolley	777 x 625 x 1725	150	IT
2 Steel shelf	680 x 400	40	ISS 407
Steel shelf	680 x 600	40	ISS 607
3 Perforated panel	750 x 686		HPP 73
4 Bin rail	685		BP 70
5 Cupboard unit	687 x 310 x 700		HCU 73



Steel shelf ISS

Adjustment for height, angle 0...30° and depth 0 - 100 mm. With front retaining lip. Load capacity 40 kg. Two sizes.

Perforated panel HPP

Perforated panel of epoxy powder coated steel in light grey RAL 7035. 9 mm perforations at 38 mm centres. Size 686 x 750 mm.

Bin rail BP

Height adjustable aluminium bin rail, to hold Treston stacking and picking bins. Length 685 mm.

Cupboard unit HCU

Constructed of epoxy powder coated, perforated steel in light grey RAL 7035. 9 mm perforations at 38 mm centres. Lock, steel shelf and connectors as standard.





Drawer units





Versatile drawer units

Since work is not always performed in the same place, we provide a comprehensive range of different drawer units for a variety of purposes. You can fix any drawer units from the same series under a worktop or on a base unit, or equip them with castors to take along to your next workstation.

Efficient storage and control

Our drawer units are great for storing tools and supplies. It can be surprising how much time is spent finding tools and other items if they are not stored systematically. The versatile interior combinations of our drawer units guarantee that your supplies are always at hand and in good order.

A comprehensive range of drawer units

We promise that you will find a drawer unit that meets your requirements in our comprehensive range. You can choose from several different heights and drawer and interior combinations. We have selected some combinations for this brochure. For more options, please contact: sales@trestongroup.com.

Drawer units for heavy loads

These robust drawer units are ideal for storing heavy-weight supplies and tools, for example in a repair workshop or in the engineering industry.



Drawer unit 45/14
and 45/25



Drawer unit 55



Drawer unit 71



Drawer unit 70



Drawer unit 90



Drawer unit 130



How to read the codes of drawer units

- The number included in the general name of the drawer unit refers to the base unit width in centimetres.
- The second number refers to the base unit height.
- The third number refers to the combination.

Example: Drawer unit 55/66-1

The drawer unit is 55 cm wide, 66 cm high and its combination number is 1.



Drawer unit 45/14 and 45/26

Drawer unit 45 is attached under the workbench. It is available in two versions: with a fully extendable drawer and a 75% extendable standard-series drawer.

Drawer units 45/14 and 45/26

Model	Opening	Load capacity kg / drawer	Outer dims W x D x H mm	Height (mm) of the drawer		Code
45/14-1	100%	60	450 x 520 x 140	1 x 100		603 35 001
L-45/14-1	75%	30	450 x 520 x 140	1 x 100		603 35 002
45/26-1	100%	60	450 x 520 x 260	2 x 100		604 35 001
L-45/26-1	75%	30	450 x 520 x 260	2 x 100		604 35 002

Internal drawer dimensions: 380 x 500 x 90 mm.





Drawer unit 55

With these drawer units you can optimise your storage and keep all your items perfectly organised. The safety locking prevents other drawers from opening while one drawer is open (we recommend locking the drawers during transport). You can choose the best option from three heights to meet your needs, or add height or width with different drawer unit combinations.

The units also serve as workbench legs and the shallower drawers are easily fastened under a workbench. The














66-cm-high drawer unit includes optional castors, making it an excellent choice for a mobile workstation. The unit with castors comes with a rubber mat that stops items from sliding on the surface. The version with doors is ideal for storing larger items. The 50 mm high drawer is fully extendable with a load capacity of 40 kg. The other drawers are 85% extendable with a load capacity of 80 kg.

Choose the drawer unit according to your needs; with castors, base or no base.



Trolley model: load capacity 300 kg, 2 fixed castors, 2 swivel castors with brakes (ø 100 mm).

Drawer unit 55
























Model	55/13-1	55/37-1	55/37-2	55/37-3	55/37-4	55/37-5	55/37-6	55/37-7
Code	610 07 001	611 07 001	611 07 002	611 07 003	611 07 004	611 07 005	611 07 006	611 07 007
Height (mm) of the drawer	1 x 100 	1 x 50  1 x 100  1 x 150 	3 x 100 	2 x 150 	3 x 50  1 x 150 	1 x 50  1 x 250 	2 x 50  2 x 100 	6 x 50 

















Internal drawer dimensions: 460 x 612 x 35/85/135/235 mm.









Drawer unit 55/66

	55/66-1	55/66-2	55/66-3	55/66-4	55/66-5	55/66-8	55/66-9	55/66-10
Standard	612 07 101	612 07 102	612 07 103	612 07 104	612 07 105	612 07 108	612 07 109	612 07 110
With base	612 07 201	612 07 202	612 07 203	612 07 204	612 07 205	612 07 208	612 07 209	612 07 210
With castors	612 07 301	612 07 302	612 07 303	612 07 304	612 07 305	612 07 308	612 07 309	612 07 310
Height (mm) of the drawer	3 x 50 	2 x 50 	1 x 50 	2 x 50 	1 x 50 	3 x 100 	2 x 100 	2 x 50 
	3 x 100 	2 x 100 	4 x 100 	1 x 100 	3 x 100 	2 x 150 	1 x 150 	5 x 100 
	1 x 150 	2 x 150 	1 x 150 	1 x 150 	1 x 250 		1 x 250 	
				1 x 250 				

	55/66-11	55/66-13	55/66-14	55/66-15	55/66-16	55/66-17	55/66-18	55/66-19
Standard	612 07 111	612 07 113	612 07 114	612 07 115	612 07 116	612 07 117	612 07 118	612 07 119
With base	612 07 211	612 07 213	612 07 214	612 07 215	612 07 216	612 07 217	612 07 218	612 07 219
With castors	612 07 311	612 07 313	612 07 314	612 07 315	612 07 316	612 07 317	612 07 318	612 07 319
Height (mm) of the drawer	1 x 100 	4 x 50 	4 x 150 	6 x 100 	1 x 50 	12 x 50 	5 x 50 	6 x 50 
	2 x 250 	1 x 100 			2 x 150 		1 x 100 	3 x 100 
		2 x 150 			1 x 250 		1 x 250 	

	55/66-20	55/66-21
Standard	612 07 120	612 07 121
With base	612 07 220	612 07 221
With castors	612 07 320	612 07 321
Height (mm) of the drawer	8 x 50 	2 x 50 
	2 x 100 	2 x 250 

Drawer unit 55/66-6 with door

	Door right	Door left
Standard	612 07 106	612 07 107
With base	612 07 206	612 07 207
With castors	612 07 306	612 07 307


Cabinets include bottom shelf.

Shelves for drawer unit 55/66 with door

Name	Size mm	Max load kg	Code
E-shelf	455 x 612 x 61	80	854 106-35
Shelf	540 x 629 x 35	80	854 114-35




Drawer interiors



Tool troughs 33, 45 and 70 mm

Drawer 55/50	834 122-00
--------------	------------



Pick up boxes

Drawer 55/50	851 866-00
--------------	------------



Middle dividers and plates 2

3 x middle divider, 6 x middle plate 150 and 6 x middle plate 100*

Drawer 55/100	834 203-35
Drawer 55/150	834 262-35
Drawer 55/250	834 262-35



Rubber mat for the drawer bottom

Rubber mat 55	852 717-00
---------------	------------

* One example of interior solutions shown in picture.



Drawer unit 55 combinations

It is possible to combine two drawer unit 55 frames with the help of a TWIN set (combination 3). The middle plate can be used to stack two drawer units 55 (combinations 1 and 2).



Combination 1, Code C 612 07 901

Includes	Code
55/66-4	612 07 304
55/37-1	611 07 001
Middle plate	854 103-35

Combination 2, Code C 612 07 902

Includes	Code
55/66-6	612 07 306
55/37-1	611 07 001
Middle plate	854 103-35
Shelf + brackets	854 114-35



Combination 3, Code C 612 07 903

Includes	Size mm	Code
55/66-4		612 07 104
55/66-6		612 07 106
Twin set		854 108-41
Shelf + brackets		854 114-35
Bench top	1200 x 750	860 554-66

TWIN set

Name	Size mm	Code
Twin set		854 108-41
Bench top	1200 x 750	860 554-66

The Twin set includes four swivel castors Ø100 mm, two of which have brakes and plates to fix two frames together. The top is not included in the pack.

Middle plate

Name	Code
Middle plate	854 103-35

Always remember
to lock the
drawer unit
during transport!



Drawer unit 71























Less than 50 cm deep, this drawer unit is ideal for use in narrow spaces, such as in vehicles. The units come with a rubber mat that stops items from sliding on the surface. The drawers have ball bearing runners and safety locking which prevents other drawers from opening

while one drawer is open.

This same drawer unit is used in the service trolley with castors p. 48. The drawers are 90% extendable and their load capacity is 50 kg.




Drawer unit 71/79

Model	71/79-1 •	71/79-2 •	71/79-3 •	71/79-4 •	71/79-5 •	71/79-6 •	71/79-7 •	71/79-8 •
Code	620 07 001	620 07 002	620 07 003	620 07 004	620 07 005	620 07 006	620 07 007	620 07 008
Height (mm) of the drawer	3 x 75  1 x 125  1 x 250 	2 x 75  2 x 100  2 x 125 	1 x 75  4 x 100  1 x 125 	5 x 75  1 x 100  1 x 125 	2 x 75  2 x 100  1 x 250 	1 x 100  2 x 250 	1 x 100  2 x 125  1 x 250 	1 x 100  4 x 125 

Internal drawer dimensions: 600 x 345 x 63/88/113/238 mm.


• = non stock item

Drawer interiors



Tool troughs 45 and 70 mm

Drawer 71/75 854 066-00



Pick up boxes

Drawer 71/75 854 064-00



Middle dividers and plates 2

3 x middle divider, 6 x middle plate 150 and 2 x middle plate 300*

Drawer 71/75 854 069-35

Drawer 71/100 854 070-35

Drawer 71/125 854 070-35

* One example of interior solutions shown in picture.



Drawer units 70, 90 and 130


You can fit an amazing number of things in these spacious drawer units. Choose the one that best meets your needs from two heights: 110 and 140 cm. The 110-cm-high drawer units include a cover that doubles as a worktop with a rubber mat. This is the ideal height for working standing up.

The safety locking prevents other drawers from opening while one drawer is open. The drawer unit can be moved with a pallet truck or a forklift when the base front plate has been removed. The drawers are 85% extendable and their load capacity is 80 kg.

Drawing holder

Name	W x H mm	Code
Drawing holder 70	706 x 500	834 939-35
Drawing holder 90	904 x 500	854 260-35
Drawing holder 130	1302 x 500	854 261-35





























The optional drawing holder keeps your documents protected and easily available. The drawing bench has a magnetic document fastening with 3 magnets included.













































































































Drawer unit 70

The drawer units 70, 90 and 130 can be moved with a pallet truck or a forklift when the base front plate has been removed.

Drawer unit 70/110

































Model	70/110-1	70/110-2	70/110-3	70/110-4	70/110-5	70/110-6	70/110-7	70/110-8
Code	613 07 001	613 07 002	613 07 003	613 07 004	613 07 005	613 07 006	613 07 007	613 07 008
Height (mm) of the drawer	2 x 100  3 x 150  1 x 250 	2 x 75  3 x 100  3 x 150 	9 x 100 	2 x 75  2 x 100  2 x 150  1 x 250 	2 x 50  1 x 100  3 x 150  1 x 250 	2 x 50  4 x 100  1 x 150  1 x 250 	3 x 50  4 x 75  2 x 100  1 x 250 	2 x 50  2 x 75  1 x 100  2 x 150  1 x 250 


































Drawer unit 70/110





















Model	70/110-9	70/110-10	70/110-11	70/110-12	70/110-13	70/110-14	70/110-15	70/110-16
Code	613 07 009	613 07 010	613 07 011	613 07 012	613 07 013	613 07 014	613 07 015	613 07 016
Height (mm) of the drawer	2 x 50  3 x 75  2 x 100  3 x 125 	2 x 50  3 x 75  1 x 125  1 x 150 	2 x 50  4 x 75  5 x 100 	2 x 75  6 x 100  1 x 150 	6 x 100  2 x 150 	2 x 50  5 x 100  2 x 150 	3 x 50  3 x 100  3 x 150 	1 x 50  1 x 100  6 x 125 
Model	70/110-17	70/110-18	70/110-19	70/110-20	70/110-21	70/110-22	70/110-23	70/110-24
Code	613 07 017	613 07 018	613 07 019	613 07 020	613 07 021	613 07 022	613 07 023	613 07 024
Height (mm) of the drawer	6 x 125  1 x 150 	3 x 75  4 x 100  1 x 125  1 x 150 	2 x 50  2 x 75  2 x 100  3 x 150 	8 x 75  3 x 100 	1 x 150  3 x 250 	2 x 50  4 x 75  2 x 250 	1 x 50  2 x 75  2 x 100  2 x 250 	12 x 50  4 x 75 
Model	70/110-25	70/110-26	70/110-27	70/110-28	70/110-29	70/110-30	70/110-31	70/110-32
Code	613 07 025	613 07 026	613 07 027	613 07 028	613 07 029	613 07 030	613 07 031	613 07 032
Height (mm) of the drawer	1 x 50  4 x 150  1 x 250 	1 x 50  2 x 100  1 x 150  2 x 250 	2 x 50  4 x 75  4 x 125 	15 x 50  2 x 75 	1 x 50  2 x 75  3 x 100  1 x 150  1 x 250 	3 x 50  2 x 75  2 x 100  1 x 150  1 x 250 	6 x 50  8 x 75 	12 x 75 
Model	70/110-33	70/110-34	70/110-36	70/110-37	70/110-38	70/110-39	70/110-40	70/110-41
Code	613 07 033	613 07 034	613 07 036	613 07 037	613 07 038	613 07 039	613 07 040	613 07 041
Height (mm) of the drawer	1 x 100  2 x 150  2 x 250 	6 x 150 	14 x 50  2 x 100 	1 x 50  2 x 75  7 x 100 	1 x 50  6 x 75  1 x 100  2 x 150 	2 x 50  2 x 150  2 x 250 	5 x 50  6 x 75  2 x 100 	8 x 50  4 x 75  2 x 100 
Model	70/110-42	70/110-43	70/110-44	70/110-45	70/110-46			
Code	613 07 042	613 07 043	613 07 044	613 07 045	613 07 046			
Height (mm) of the drawer	2 x 75  5 x 100  2 x 125 	2 x 75  3 x 250 	3 x 100  4 x 150 	4 x 100  2 x 250 	8 x 75  2 x 150 			



























Drawer unit 70/140




















Model	70/140-1	70/140-2	70/140-3	70/140-4	70/140-5	70/140-6	70/140-7	70/140-8
Code	616 07 001	616 07 002	616 07 003	616 07 004	616 07 005	616 07 006	616 07 007	616 07 008
Height (mm) of the drawer	2 x 75  5 x 100  2 x 150  1 x 250 	2 x 75  6 x 100  3 x 150 	4 x 100  2 x 150  2 x 250 	4 x 75  2 x 100  3 x 150  1 x 250 	2 x 50  3 x 100  2 x 150  2 x 250 	1 x 50  2 x 75  2 x 100  2 x 150  2 x 250 	1 x 50  4 x 75  3 x 100  2 x 150  1 x 250 	1 x 50  2 x 100  3 x 150  2 x 250 

Model	70/140-9	70/140-10	70/140-11	70/140-12	70/140-13	70/140-14	70/140-15	70/140-16
Code	616 07 009	616 07 010	616 07 011	616 07 012	616 07 013	616 07 014	616 07 015	616 07 016
Height (mm) of the drawer	4 x 50  2 x 75  3 x 100  2 x 150  1 x 250 	3 x 50  2 x 75  2 x 100  2 x 125  3 x 150 	2 x 50  4 x 75  4 x 100  1 x 150  1 x 250 	1 x 50  4 x 75  3 x 100  2 x 125  2 x 150 	6 x 75  1 x 100  2 x 125  1 x 150  1 x 250 	6 x 100  4 x 150 	12 x 50  8 x 75 	1 x 50  2 x 75  6 x 125  1 x 250 

Model	70/140-17	70/140-18	70/140-19	70/140-20	70/140-21	70/140-22	70/140-23	70/140-24
Code	616 07 017	616 07 018	616 07 019	616 07 020	616 07 021	616 07 022	616 07 023	616 07 024
Height (mm) of the drawer	1 x 50  1 x 150  4 x 250 	1 x 50  12 x 75  1 x 100  1 x 150 	16 x 75 	3 x 100  6 x 150 	1 x 50  2 x 75  3 x 100  3 x 150  1 x 250 	24 x 50 	8 x 100  1 x 150  1 x 250 	12 x 100 


Model	70/140-25	70/140-26	70/140-27	70/140-28	70/140-29	70/140-30	70/140-31	
Code	616 07 025	616 07 026	616 07 027	616 07 028	616 07 029	616 07 030	616 07 031	
Height (mm) of the drawer	2 x 50  10 x 75  2 x 100  1 x 150 	10 x 75  3 x 100  1 x 150 	8 x 75  2 x 100  2 x 125  1 x 150 	6 x 75  3 x 100  3 x 150 	1 x 50  8 x 75  3 x 100  2 x 125 	4 x 50  6 x 75  4 x 100  1 x 150 	9 x 100  2 x 150 	



Model	70/140-33	70/140-34	70/140-35	70/140-36	70/140-37	70/140-38	70/140-39	70/140-40
Code	616 07 033	616 07 034	616 07 035	616 07 036	616 07 037	616 07 038	616 07 039	616 07 040
Height (mm) of the drawer	1 x 50  6 x 150  1 x 250 	8 x 150 	8 x 75  6 x 100 	6 x 75  2 x 100  2 x 150  1 x 250 	2 x 75  2 x 150  3 x 250 	2 x 100  4 x 250 	12 x 75  2 x 150 	12 x 75  3 x 100 


Internal drawer dimensions: 612 x 612 x 35/60/85/110/130/235 mm.

Drawer interiors




Tool troughs 33 and 45 mm

Drawer 70/50	837 911-00
Drawer 70/75	837 911-00



Tool troughs 45 and 70 mm

Drawer 70/50	837 938-00
Drawer 70/75	837 938-00



Pick up boxes


Drawer 70/75	851 867-00
--------------	------------



Middle dividers and plates 1

5 x middle divider, 15 x middle plate 100*

Drawer 70/75	838 290-35
Drawer 70/100	837 970-35



Middle dividers and plates 2

Set includes middle plates in 3 available widths. It allows you to create numerous interior solutions.

3 x middle divider, 6 x middle plate 100, 6 x middle plate 150 and 2 x middle plate 300*

Drawer 70/75	838 300-35
Drawer 70/100	837 989-35
Drawer 70/125	837 989-35
Drawer 70/150	838 004-35
Drawer 70/250	838 004-35



Rubber mat for the drawer bottom

Rubber mat 70	852 718-00
---------------	------------

* One example of interior solutions shown in picture.















Sliding door cabinet



Sliding doors are practical when there is little space in front of the drawer unit. When open, sliding doors make all of the contents visible.

The sliding door cabinet is built to the same height as the drawer unit 70/110 to enable effective combinations. It is equipped with a transport base like the drawer unit 70 and the cover doubles as a worktop with a rubber mat. Drawers and E-shelves open 85 % and their load capacity is 80 kg.

Model	70/110-1	70/110-2	70/110-3	70/110-4	70/110-6	70/110-7	70/110-9	70/110-10
Code	619 07 001	619 07 002	619 07 003	619 07 004	619 07 006	619 07 007	619 07 009	619 07 010
Height (mm) of the drawer	2 x 75  2 x E-shelf 	1 x 100  2 x E-shelf 	3 x E-shelf 	3 x 100 	1 x E-shelf 	3 x 75  2 x E-shelf 	1 x 75  7 x 100 	5 x E-shelf 

Internal drawer dimensions: 612 x 612 x 35/60/85/235 mm.

Internal E-shelf dimensions: 612 x 612 mm.

Cone racks

Cone racks HSK, Capto, ISO

Name	Size W x D mm	Code
Cone rack with base	562 x 145 x 105	854 435-35
Foot extension pair for cone rack with base		854 420-35
Cone rack with hooks	742 x 188 x 90	854 430-35

Tool brackets


Name	Rack with base can hold pcs	Rack with hooks can hold pcs	Code
ISO 50	6	8	837 770-00
HSK 40A/50B	7	9	854 215-00
HSK 63A/80B	5	7	854 217-00
HSK 100A/125B	5	7	854 219-00
Capto C4	7	9	854 221-00
Capto C5	7	9	854 222-00
Capto C6	4	6	854 223-00

Inserts for ISO 50 bracket

Name	Ø mm	Code
ISO 45 insert	45	837 730-00
ISO 40 insert	40	837 710-00
ISO 30 insert	30	837 690-00
Cylinder insert	50	852 311-00
Cylinder insert	40	852 310-00
Cylinder insert	30	852 309-00

The cone rack with base can be placed on an extendable shelf in the sliding door cabinet. The distance between each bracket is adjustable. The rack is equipped with handles.

The cone rack with hooks can be attached to M750 upright tubes. It can also be used in our industrial cabinets. Both cone racks are suitable for ISO, HSK and Capto tool brackets.



Cone rack with base



Cone rack with hooks








Combinations with fully opening drawers and extendable shelves



In the drawer unit 70 and sliding door cabinet, the fully opening drawers and extendable shelves allow for the most efficient use of space. Each fully opening drawer and extendable shelf has a load capacity of up to 150 kg. They can also be integrated into heavy storage systems. Choose from ready-made combinations or contact your Treston Group sales representative for a tailor-made combination.





Drawer unit 70/110, drawers, 100% opening











Model	70/110-51	70/110-69	70/110-72
Code	613 07 051	613 07 069	613 07 072
Height (mm) of the drawer	6 x 100  2 x 150 	4 x 100  2 x 250 	9 x 100 

1) Standard drawer 2) 100 % opening drawer 3) Standard extendable shelf 4) 100% opening extendable shelf

Sliding door cabinet 70/110, extendable shelves, 100% opening

Model	70/110-8	70/110-14	
Code	619 07 008	619 07 014	
Height (mm) of the drawer	3 x E-shelf 	4 x E-shelf 	

Drawer unit 70/140, drawers, 100% opening

Model	70/140-32	70/140-45	70/140-51	70/140-54	70/140-58
Code	616 07 032	616 07 045	616 07 051	616 07 054	616 07 058
Height (mm) of the drawer	8 x 100  1 x 150  1 x 250 	3 x 100  6 x 150 	2 x 100  4 x 250 	9 x 100  2 x 150 	12 x 100 























Drawer unit 90












Drawers open
85% and their
load capacity
is 80 kg.






















Easy to move with pallet truck
or fork lift.

Drawer unit 90/110





















Model	90/110-1	90/110-2	90/110-3	90/110-4	90/110-13	90/110-20	90/110-21	90/110-33
Code	614 07 001	614 07 002	614 07 003	614 07 004	614 07 013	614 07 020	614 07 021	614 07 033
Height (mm) of the drawer	2 x 100  3 x 150  1 x 250 	2 x 75  3 x 100  3 x 150 	9 x 100 	2 x 75  2 x 100  2 x 150  1 x 250 	6 x 100  2 x 150 	8 x 75  3 x 100 	1 x 150  3 x 250 	1 x 100  2 x 150  2 x 250 








Model	90/110-34	90/110-43	90/110-44	90/110-45	90/110-46			
Code	614 07 034	614 07 043	614 07 044	614 07 045	614 07 046			
Height (mm) of the drawer	6 x 150 	2 x 75  3 x 250 	3 x 100  4 x 150 	4 x 100  2 x 250 	8 x 75  2 x 150 			

Drawer unit 90/140

Model	90/140-1	90/140-2	90/140-3	90/140-4	90/140-14	90/140-19	90/140-23	90/140-24
Code	617 07 001	617 07 002	617 07 003	617 07 004	617 07 014	617 07 019	617 07 023	617 07 024
Height (mm) of the drawer	2 x 75  5 x 100  2 x 150  1 x 250 	2 x 75  6 x 100  3 x 150 	4 x 100  2 x 150  2 x 250 	4 x 75  2 x 100  3 x 150  1 x 250 	6 x 100  4 x 150 	16 x 75 	8 x 100  1 x 150  1 x 250 	12 x 100 

Drawer unit 90/140

Model	90/140-26	90/140-28	90/140-31	90/140-34	90/140-35	90/140-36	90/140-37	90/140-38
Code	617 07 026	617 07 028	617 07 031	617 07 034	617 07 035	617 07 036	617 07 037	617 07 038
Height (mm) of the drawer	10 x 75  3 x 100  1 x 150 	6 x 75  3 x 100  3 x 150 	9 x 100  2 x 150 	8 x 150 	8 x 75  6 x 100 	6 x 75  2 x 100  2 x 150  1 x 250 	2 x 75  2 x 150  3 x 250 	2 x 100  4 x 250 


Model	90/140-39	90/140-40	90/140-42
Code	617 07 039	617 07 040	617 07 042
Height (mm) of the drawer	12 x 75  2 x 150 	12 x 75  3 x 100 	1 x 100  4 x 150  2 x 250 

Internal drawer dimensions: 810 x 612 x 49/74/124/224 mm.

The large drawer units 90 and 130 include levelling screws, which help to level the unit on uneven surfaces.




Drawer interiors



Tool troughs 33 and 45 mm

Drawer 90/75 837 913-00


Tool troughs leave 50 mm free space on one side of the drawer.



Tool troughs 45 and 70 mm


Drawer 90/75 837 914-00

Tool troughs leave 50 mm free space on one side of the drawer.




Pick up boxes

Drawer 90/75 851 870-00



Rubber mat for the drawer bottom

Rubber mat 90 854 080-00




Middle dividers and plates 2

The set includes middle plates in 2 available widths. It allows you to create numerous interior solutions.

3 x middle divider, 6 x middle plate 150 and 2 x middle plate 300*


Drawer 90/75	851 950-35
Drawer 90/100	851 955-35
Drawer 90/150	851 958-35
Drawer 90/250	851 958-35



Horizontal dividers

4 x horizontal divider*


Drawer 90/75	851 952-35
Drawer 90/100	851 957-35
Drawer 90/150	861 960-35
Drawer 90/250	861 960-35



Middle dividers and plates 4

7 x middle divider, 20 x middle plate 100*

Drawer 90/75	854 880-35
Drawer 90/100	854 881-35
Drawer 90/150	854 882-35



Middle dividers and plates 5

5 x middle divider, 13 x middle plate 150*

Drawer 90/75	854 883-35
Drawer 90/100	854 884-35
Drawer 90/150	854 885-35



Middle dividers and plates 6

5 x middle divider, 6 x middle plate 100 and 10 x middle plate 150*

Drawer 90/75	854 886-35
Drawer 90/100	854 887-35
Drawer 90/150	854 888-35

* One example of interior solutions shown in picture.
































Drawer unit 130

Drawers open
85 % and their
load capacity
is 80 kg.
























Easy to move with pallet truck or fork lift.





















Drawer unit 130/110








Model	130/110-1	130/110-2	130/110-3	130/110-4	130/110-13	130/110-20	130/110-21	130/110-33
Code	615 07 001	615 07 002	615 07 003	615 07 004	615 07 013	615 07 020	615 07 021	615 07 033
Height (mm) of the drawer	2 x 100  3 x 150  1 x 250 	2 x 75  3 x 100  3 x 150 	9 x 100 	2 x 75  2 x 100  2 x 150  1 x 250 	6 x 100  2 x 150 	8 x 75  3 x 100 	1 x 150  3 x 250 	1 x 100  2 x 150  2 x 250 
Model	130/110-34	130/110-43	130/110-44	130/110-45	130/110-46			
Code	615 07 034	615 07 043	615 07 044	615 07 045	615 07 046			
Height (mm) of the drawer	6 x 150 	2 x 75  3 x 250 	3 x 100  4 x 150 	4 x 100  2 x 250 	8 x 75  2 x 150 			

Drawer unit 130/140

Model	130/140-1	130/140-2	130/140-3	130/140-4	130/140-14	130/140-19	130/140-23	130/140-24
Code	618 07 001	618 07 002	618 07 003	618 07 004	618 07 014	618 07 019	618 07 023	618 07 024
Height (mm) of the drawer	2 x 75  5 x 100  2 x 150  1 x 250 	2 x 75  6 x 100  3 x 150 	4 x 100  2 x 150  2 x 250 	4 x 75  2 x 100  3 x 150  1 x 250 	6 x 100  4 x 150 	16 x 75 	8 x 100  1 x 150  1 x 250 	12 x 100 

Drawer unit 130/110

Model	130/140-26	130/140-28	130/140-31	130/140-34	130/140-35	130/140-36	130/140-37	130/140-38
Code	618 07 026	618 07 028	618 07 031	618 07 034	618 07 035	618 07 036	618 07 037	618 07 038
Height (mm) of the drawer	10 x 75   	6 x 75   	9 x 100  	8 x 150 	8 x 75  	6 x 75    	2 x 75   	2 x 100  

Model	130/140-39	130/140-40	130/140-42
Code	618 07 039	618 07 040	618 07 042
Height (mm) of the drawer	12 x 75  	12 x 75  	1 x 100   

Internal drawer dimensions: 1226 x 612 x 49/74/124/224 mm.




Drawer interiors




Tool troughs 33 and 45 mm

Drawer 130/75 837 912-00



Tool troughs 45 and 70 mm

Drawer 130/75 837 939-00



Pick up boxes

Drawer 130/75 851872-00



Middle dividers and plates 3

The set includes middle plates in 3 available widths. It allows you to create numerous interior solutions.

8 x middle divider, 15 x middle plate 100, 6 x middle plate 150 and 2 x middle plate 300*

Drawer 130/75 851 881-35

Drawer 130/100 851 884-35

Drawer 130/150 851 887-35

Drawer 130/250 851 887-35



Horizontal dividers

4 x horizontal divider*

Drawer 130/75 851 882-35

Drawer 130/100 851 885-35

Drawer 130/150 851 888-35



Middle dividers and plates 7

11 x middle dividers, 28 x middle plate 100*

Drawer 130/75 854 889-35

Drawer 130/100 854 890-35

Drawer 130/150 854 891-35




Middle dividers and plates 8

6 x middle divider, 18 x middle plate 150*

Drawer 130/75 854 892-35

Drawer 130/100 854 893-35

Drawer 130/150 854 894-35



Rubber mat for the drawer bottom

Rubber mat 130 854 082-00

* One example of interior solutions shown in picture.



Industrial shelving and cabinets





Industrial shelving and cabinets

Shelves and cabinets help keep the workplace in good order. During selection the space available and load capacity required must be taken into account. Shelving units are also excellent as room dividers. ESD protection is also available.

Extended tool life

The service life and condition of tools can be significantly improved through their appropriate storage. They are stored in their own places, protected from dust and dirt, in a locked cabinet.

A versatile storage solution is created by using suitable accessories

An open shelf is not always the best way to store things. Tools, expensive equipment, and small items need another type of solution. Through using lockable drawers or adding doors and panels, an open shelving system is

turned into a versatile storage solution. Drawers can be fitted with a variety of interior combinations, to suit the tools stored in them.

Storage system is modifiable

A storage system is built around the basic component: extension parts, doors, screens, and other accessories can be added to create an efficient overall solution. In addition the shelf heights can easily be adjusted as needed. Even the load capacity can be increased by adding additional supports.

Heavy storage system is designed for heavy items

When the items are heavy, shelves need to be very strong as well. Computer servers or large measurement instruments can be surprisingly heavy. A heavy storage system is designed for load capacities of up to 400 kg/shelf.



Industrial cabinets allow for a tidy, efficient working environment

No unnecessary time should be spent looking for tools and materials. This interrupts work and causes stress. In a well-equipped cabinet, everything is where it should be. A ready-assembled cabinet is easy to move to the most convenient location. There are adjustable glides under the cabinet. This makes it easy to adjust the cabinet so that it stands straight on uneven surfaces. All module-750 and -500 accessories, such as shelves, drawer units, perforated panels, and extendable shelves, can be used in selecting accessories for the cabinet.





Storage system

Storage system can be built as a combination of cabinets and shelves and you can use it as a space divider. The storage system is available in two

standard heights: 200 cm and 240 cm and two widths: 80 cm and 100 cm.



All standard and extension parts include 6 shelves.



Standard bays

Name	Size W x D mm	Code
Standard bay 80/30/200	824 x 300 x 2000	C 313 35 001
Standard bay 80/40/200	824 x 400 x 2000	C 314 35 001
Standard bay 100/30/200	1024 x 300 x 2000	C 313 35 002
Standard bay 100/40/200	1024 x 400 x 2000	C 314 35 003
Standard bay 100/50/200	1024 x 500 x 2000	C 315 35 001
Standard bay 100/60/200	1024 x 600 x 2000	C 316 35 001
Standard bay 80/40/240	824 x 400 x 2400	C 314 35 002
Standard bay 100/40/240	1024 x 400 x 2400	C 314 35 004
Standard bay 100/50/240	1024 x 500 x 2400	C 315 35 002
Standard bay 100/60/240	1024 x 600 x 2400	C 316 35 002

Extension bays

Name	Size W x D mm	Code
Extension bay 80/30/200	804 x 300 x 2000	C 323 35 001
Extension bay 80/40/200	804 x 400 x 2000	C 324 35 001
Extension bay 100/30/200	1004 x 300 x 2000	C 323 35 002
Extension bay 100/40/200	1004 x 400 x 2000	C 324 35 003
Extension bay 100/50/200	1004 x 500 x 2000	C 325 35 001
Extension bay 100/60/200	1004 x 600 x 2000	C 326 35 001
Extension bay 80/40/240	804 x 400 x 2400	C 324 35 002
Extension bay 100/40/240	1004 x 400 x 2400	C 324 35 004
Extension bay 100/50/240	1004 x 500 x 2400	C 325 35 002
Extension bay 100/60/240	1004 x 600 x 2400	C 326 35 002


All standard and extension bays include 6 shelves



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).

Combination name



Load capacity

1000 kg/bay

width 824 mm

150 kg/shelf

width 1024 mm

150 kg/shelf

Storage system combinations



100/30/200-8 C 340 07 108

Qty	Name	Size mm	Code
3	End frame/open	300 x 2000	830 615-35
8	Shelf+brackets	1000 x 300	852 175-35
4	Perforated panel	983 x 500	852 145-07
2	Cross support pair 1000		852 176-35



1. 100/40/200-1 C 344 07 001

Qty	Name	Size mm	Code
1	Storage cabinet	1030 x 430 x 2010	C 344 07 000
4	Shelf	1000 x 400	852 231-35



Move with a pallet truck

The cabinet can be moved with a pallet truck or a forklift when the plinth front panel has been removed. Cabinets are equipped with adjustment screws.



2. 100/40/200-4 C 344 07 004


Qty	Name	Size mm	Code
1	Storage cabinet	1030 x 430 x 2010	C 344 07 000
2	Shelf	1000 x 400	852 231-35
2	Perforated panel	983 x 500	852 145-07
3	Drawer 400		834 513-35



100/40/200-9 C 340 07 109

Qty	Name	Size mm	Code
2	End frame/open	400 x 2000	830 895-35
14	Shelf+brackets	1000 x 400	852 231-35
2	Cross support pair 1000		852 176-35
2	Perforated panel	983 x 500	852 145-07
1	Storage cabinet	1030 x 430 x 2010	C 344 07 000

Storage system includes a wide range of different parts which can be used to create a fully tailor-made solution.



Storage system components

Name	Size W x D mm	Code
End frame, open	300 x 2000	830 615-35
End frame, open	400 x 2000	830 895-35
Sidewall	400 x 2000	859 440-35
End frame, open	500 x 2000	851 719-35
Sidewall	500 x 2000	859 450-35
End frame, open	600 x 2000	851 725-35
Sidewall	600 x 2000	859 460-35
End frame, open	400 x 2400	851 717-35
End frame, open	500 x 2400	851 721-35
End frame, open	600 x 2400	851 724-35
Cross support pair 1000		852 176-35
Cabinet 100/40/200	1030 x 430 x 2010	C 344 07 000
Cabinet 100/50/200	1030 x 530 x 2010	C 345 07 000
Cabinet 100/60/200	1030 x 630 x 2010	C 346 07 000
Back sheet 1000		859 447-35
Perforated end plate 400	340 x 2000	830 917-07
Screw set (fixing back to back)		838 440-51
Perforated panel 1000	983 x 500	852 145-07
Additional support for shelf 1000		852 267-35

Shelves


Name	Size W x D mm	Max load kg	Code
Shelf	800 x 300	150	852 235-35
Shelf	800 x 400	150	852 234-35
Shelf	1000 x 300	150	852 175-35
Shelf	1000 x 400	150	852 231-35
Shelf	1000 x 500	150	852 185-35
Shelf	1000 x 600	150	852 187-35

Shelf dividers

Name	Size W x D mm	Code
Pair of steel dividers	190 x 285	861 116-35
Shelf divider 400	400 x 180	832 839-35
Shelf divider 400	400 x 260	832 847-35
Shelf divider 400	400 x 370	832 855-35
Shelf divider 500	500 x 260	852 271-35
Shelf divider 500	500 x 370	852 273-35
Shelf divider 600	600 x 260	852 797-35
Shelf divider 600	600 x 370	852 798-35

Drawers and interior combinations

Name	Size W x D mm	Max load kg	Code
Drawer 100/100, for 400 deep cabinet	920 x 345 x 107	30	834 513-35
Drawer 100/100, for 500 deep cabinet	920 x 345 x 107	30	834 514-35
1 Middle divider and middle plates			834 507-35
2 Middle divider and middle plates			834 508-35
3 Middle divider and middle plates			834 509-35
4 Pick up boxes			834 512-00





Heavy storage system

Heavy storage system is suitable for large and heavy items. The shelf load capacity is 400 kg and the shelf depth is 70 cm. It can be built as a combination of

cabinets, drawers and shelves. The heavy storage system comes in one standard height of 200 cm and two widths: 75 cm and 95 cm.



All standard and extension bays include 6 shelves.



Standard bays

Name	Size W x D x H mm	Code
Standard bay, open	750 x 714 x 2000	C 375 35 001
Standard bay, closed*	750 x 714 x 2000	C 376 35 001
Standard bay, open	950 x 714 x 2000	C 395 35 001
Standard bay, closed*	950 x 714 x 2000	C 396 35 001

*The standard bay, closed, includes back sheet and closed ends.

Extension bays

Name	Size W x D x H mm	Code
Extension bay, open	705 x 714 x 2000	C 377 35 001
Extension bay, closed*	705 x 714 x 2000	C 378 35 001
Extension bay, open	905 x 714 x 2000	C 397 35 001
Extension bay, closed*	905 x 714 x 2000	C 398 35 001

*The standard bay, closed, includes back sheet and closed ends.



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).

Load capacity

2000 kg/bay

width 750 mm

400 kg/shelf

width 950 mm

350 kg/shelf



Heavy storage system combinations



95/200-1 C 395 35 001

Qty	Name	Size mm	Code
2	End frame/open	714 x 2000	851 655-35
6	Shelf 90	860 x 714	851 663-35
1	Cross support pair		851 671-35



75/200-2 C 377 07 002

Qty	Name	Size mm	Code
2	Base/top 70	660 x 714	851 656-35
1	Back sheet 70	740 x 1990	851 700-35
2	End frame/closed	714 x 2000	852 449-35
5	Shelf 70	660 x 714	851 658-35
1	Door pair	700 x 2000	854 400-07



75/200-2 C 377 07 002

Qty	Name	Size mm	Code
1	Locking shelf	660 x 714	851 657-35
1	End frame/open	714 x 2000	851 655-35
4	Base/top 70	660 x 714	851 656-35
7	Shelf 70	660 x 714	851 658-35
1	Locking element		851 675-35
2	End frame/closed	714 x 2000	852 449-35
3	Drawer 70/50	612 x 612 x 50	833 967-07
2	Drawer 70/100	612 x 612 x 100	833 975-07
2	Drawer 70/150	612 x 612 x 150	833 983-07
1	Drawer 70/250	612 x 612 x 250	833 991-07
1	Back sheet 70	740 x 1990	851 700-35



75/200-9 C 399 07 009

Qty	Name	Size mm	Code
1	Locking shelf	660 x 714	851 657-35
4	Base/top 70	660 x 714	851 656-35
7	Shelf 70	660 x 714	851 658-35
3	End frame/closed	714 x 2000	852 449-35
3	Drawer 70/50	612 x 612 x 50	833 967-07
2	Drawer 70/100	612 x 612 x 100	833 975-07
2	Drawer 70/150	612 x 612 x 150	833 983-07
1	Drawer 70/250	612 x 612 x 250	833 991-07
2	Back sheet 70	740 x 1990	851 700-35
1	Door pair	700 x 2000	854 400-07
1	Locking element		851 675-35



Combination name


95/200+1

Width cm

Height cm

Version

Heavy storage system includes a wide range of different parts which can be used to create a fully tailor-made solution.



Heavy storage system components

Name	Size W x D mm	Max load kg	Code
End frame/open	714 x 2000		851 655-35
End frame/closed	714 x 2000		852 449-35
Base/top 70	660 x 714		851 656-35
Base/top 90	860 x 714		852 571-35
Cross support pair			851 671-35
Back sheet 70	740 x 1990		851 700-35
Back sheet 90	940 x 1990		851 753-35
Shelf 70	660 x 714	400	851 658-35
Shelf 90	860 x 714	350	851 663-35
Side panel	200 x 700		851 669-35
Filling part	40 x 620		851 670-35
Door pair*	700 x 2000		854 400-07
Extended door pair*	700 x 2000		854 404-07
Door pair*	900 x 2000		854 402-07
Extended door pair*	900 x 2000		854 405-07
Locking shelf 70*	660 x 714		851 657-35
Locking shelf 90*	860 x 714		851 710-35
Locking element	1000		851 675-35

*Door/locking shelf equipped with lock

Heavy storage system drawers

Name	Size W x D mm	Effective height mm	Max load kg	Opens %	Code
Drawer 70/50	612 x 612 x 50	35	80	85	833 967-07
Drawer 70/75	612 x 612 x 75	60	80	85	833 401-07
Drawer 70/100	612 x 612 x 100	85	80	85	833 975-07
Drawer 70/100, 100 % opening	612 x 612 x 100	85	150	100	852 123-07
Drawer 70/125	612 x 612 x 125	110	80	85	833 320-07
Drawer 70/150	612 x 612 x 150	135	80	85	833 983-07
Drawer 70/150, 100 % opening	612 x 612 x 150	135	150	100	852 124-07
Drawer 70/250	612 x 612 x 250	235	80	85	833 991-07
Drawer 70/250, 100 % opening	612 x 612 x 250	235	150	100	852 125-07
Extendable shelf 70	612 x 612 x 85		80	85	833 843-07
Extendable shelf 70, 100 % opening	612 x 612 x 85		150	100	852 168-07
Drawer 90/75	860 x 612 x 75	49	80	85	854 262-07
Drawer 90/100	860 x 612 x 100	74	80	85	854 246-07
Drawer 90/150	860 x 612 x 150	124	80	85	854 248-07
Drawer 90/250	860 x 612 x 250	224	80	85	854 249-07



Industrial cabinets

Treston Group industrial cabinets include a wide range of accessories e.g. for tool storage, allowing a versatile storage solution to be created.



Industrial cabinet combinations



55/100-1 C 301 07 001

Qty	Name	Code
1	Cabinet frame 55/100	C 301 07 000
2	Steel shelf 55	854 349-35



80/100-1 C 305 07 001

Qty	Name	Code
1	Cabinet frame 80/100	C 305 07 000
2	Steel shelf 80	854 345-35



80/100-2 C 305 07 002

Qty	Name	Code
1	Cabinet frame 80/100	C 305 07 000
2	Steel shelf 80	854 345-35
1	Drawer 80	854 346-35

Combination name

55/100-1

Width cm

Height cm

Version

Depth of cabinet: 425 mm



Practical!

100 cm high cabinet tops have a back stop and rubber mat to be used as an additional work top.



Computer cabinet

Computer cabinet protects equipment from dust and dirt, even in the most demanding conditions. The computer cabinet is pressurised and equipped with an air filter that keeps the dust out. A screen up to a maximum size of 19" will fit in the computer cabinet.

Computer cabinets

Name	Size mm	Code
Computer cabinet	800 x 500 x 1600	854 358-35
Computer cabinet (without the energy rail)	800 x 500 x 1600	854 364-35



55/160-1 C 303 07 001

Qty	Name	Code
1	Cabinet frame 55/160	C 303 07 000
3	Steel shelf 55	854 349-35



80/160-1 C 307 07 001

Qty	Name	Code
1	Cabinet frame 80/160	C 307 07 000
3	Steel shelf 80	854 345-35



80/160-2 C 307 07 102

Qty	Name	Code
1	Cabinet frame 80/160	C 307 07 000
2	Steel shelf 80	854 345-35
4	Suspension rail, M750	859 151-35
21	Plastic container 1015-5	806 207-00
5	Container, 1525-5	806 208-00


80/160-3 C 307 07 003

Qty	Name	Code
1	Cabinet frame 80/160	C 307 07 004
3	Steel shelf 80	854 345-35
1	Extendable shelf 80	854 347-35



More space for tools


A much larger amount of space is available for storing tools if the perforated wall panel 854 353-07 is installed on the door or side wall of cabinet 80.





Move with a pallet truck

The cabinet can be moved with a pallet truck or a forklift when the plinth front panel has been removed. Cabinets are equipped with adjustment screws.



80/200-1 C 309 07 001

Qty	Name	Code
1	Cabinet frame 80/200	C 309 07 000
4	Steel shelf 80	854 345-35



80/200-2 C 309 07 102

Qty	Name	Code
1	Cabinet frame 80/200	C 309 07 000
2	Drawer 80	854 346-35
2	Steel shelf 80	854 345-35
5	Plastic container 1525-5	806 208-00
1	Suspension rail, M750	859 151-35
1	Extendable shelf 80	854 347-35
1	Perforated panel 718 x 612	861 512-07
2	Perforated panel 288 x 712	854 353-07
1	Pair of support feet	864 730-35



80/200-3 C 309 07 103

Qty	Name	Code
1	Cabinet frame 80/200	C 309 07 000
2	Drawer 80	854 346-35
2	Steel shelf 80	854 345-35
3	Shelf divider H 370/400	832 855-35
1	Perforated panel 718 x 612	861 512-07
1	Extendable shelf 80	854 347-35
1	Pair of support feet	864 730-35
1	Pair of steel dividers	861 116-35
1	Drawer for suspension folders	854 348-35



80/200-4 C 309 07 004

Includes 2 pcs steel shelves 80 , 854 345-35.



An extendable shelf for the cabinet


When the cabinet is used for storing folders, a separate extending shelf is a good idea. This shelf makes it easy to browse through the folders.



Industrial cabinet accessories



All the M750 accessories fit the cabinet 80 and can be easily installed inside.



Cabinet frames

Name	Size W x D x H mm	Code
Cabinet 55/100 •	550 x 425 x 1000	C 301 07 000
Cabinet 80/100	800 x 425 x 1000	C 305 07 000
Cabinet 55/160	550 x 425 x 1600	C 303 07 000
Cabinet 80/160	800 x 425 x 1600	C 307 07 000
Cabinet 80/160, half doors	800 x 425 x 1600	C 307 07 004
Cabinet 80/200	800 x 425 x 2000	C 309 07 000

Cabinet frames

Name	Size W x D x H mm	Max load kg	Code
Perforated panel for the door or side wall	290 x 740		854 353-07
Perforated panel for the back wall M500	468 x 389		860 951-35
Perforated panel for the back wall M750	718 x 612		835 633-07/-35
Perforated panel for the back wall M750	718 x 1003		835 641-07/-35
Pair of steel dividers	1 x 285 x 190		861 116-35
Steel shelf 55	545 x 391 x 32	100	854 349-35
Steel shelf 80	730 x 396 x 32	100	854 345-35
Shelf divider	1 x 400 x 180		832 839-35
Shelf divider	1 x 400 x 260		832 847-35
Shelf divider	1 x 400 x 370		832 855-35
Extendable shelf 80	730 x 362 x 42	30	854 347-35
Drawer 55 •	480 x 362 x 90	30	854 344-35
Drawer 80	730 x 362 x 90	30	854 346-35
Drawer for suspension folders	724 x 350 x 240	30	854 348-35
Pair of support feet	40 x 220 x 6		864 730-35
Suspension rail		50	859 151-35

• = non stock item

Cone rack with hooks HSK, Capto, ISO

Name	Size W x D x H mm	Code
Cone rack with hooks	742 x 188 x 90	854 430-35

Tool brackets


Name	Rack with hooks can hold pcs	Code
ISO 50	8	837 770-00
HSK 40A/50B	9	854 215-00
HSK 63A/80B	7	854 217-00
HSK 100A/125B	7	854 219-00
Capto C4	9	854 201-00
Capto C5	9	854 202-00
Capto C6	6	854 203-00



Cone rack with hooks

Perforated panels





Perforated panels are a part of good organisation

Perforated panels are efficient dividers of space and, at the same time, practical storage facilities for tools and equipment.

Order and tidiness are appreciated

Order and tidiness cannot be achieved and maintained without there being a place for each tool. Perforated panels and hooks offer a practical and versatile solution for storing tools and equipment. Perforated panel products are available for direct fastening to the wall or for fastening to upright profiles or tubes.

Hooks also for heavy loads

The hooks can withstand loads of up to 10 kg.








In addition to the perforated panels, you can attach metal shelves, bin rails, perforated cabinets and light/balancer rails to the upright profiles.





Perforated back and wall panels

The perforated back panels are fastened to the upright tubes or straight to TPH bench with panel hooks. The perforated wall panels are attached, either directly to the wall with screws or to the upright profiles with fastening clips. The size of the perforation is 9 x 9 mm, center to center 38 mm.



The colour code is included in those product codes that are formed with numbers.

It is either at the end, following the hyphen (e.g. 860 804-35), or in the middle (e.g. 100/40/200 C 334 07 000).

1. Perforated panels for upright tubes

Name	Module	Size W x H mm	Code
Perforated back panel	M500	468 x 389	861 501-35
Perforated back panel	M750	718 x 194	861 510-07
Perforated back panel	M750	718 x 389	861 511-35
Perforated back panel	M750	718 x 612	861 512-07/-35
Perforated back panel, insulated	M750	718 x 612	861 701-07/-35
Perforated back panel	M750	718 x 1003	861 514-07/-35
Perforated back panel	M900	871 x 389	861 516-35
Perforated back panel	M1000	968 x 1003	861 535-07
Perforated back panel •	M1350	1318 x 389	861 521-35
Perforated back panel •	M1500	1474 x 389	861 526-35
Perforated back panel •	M1800	1774 x 389	861 531-35

Fastened to the upright tubes (see page 24).

2. Back panels for upright tubes

Name	Module	Size W x H mm	Code
Back panel •	M500	468 x 389	861 541-35
Back panel	M750	718 x 194	861 550-35
Back panel	M750	718 x 389	861 551-35
Back panel	M750	718 x 612	861 552-35
Back panel	M900	871 x 389	861 556-35

Fastened to the upright tubes (see page 24).

3. Perforated panels for TPH benches

Size W x H mm	Suitable for	Code
1115 x 750	TPH712	RL120
1415 x 750	TPH715/ 915	RL150
1715 x 750	TPH718/ 918	RL180
Panel hooks	TPH	RK1

Mount on TPH benches with panel hooks RK1. Can also be attached to a wall with screws (included).

4. Perforated wall panels fastened to the wall

Name	Size W x H mm	Code
Perforated wall panel	454 x 988	837 369-07
Perforated wall panel	949 x 988	837 334-07
Perforated wall panel	949 x 1444	837 342-07
Perforated wall panel	949 x 1976	837 350-07

Fastened directly to the wall using screws.



• = non stock item



Industrial screens

Industrial screens are modular, and they can be equipped with all M750 accessories illustrated from page 26 onward. Industrial screens can be used as space dividers.


They also provide noise insulation; the combinations available have perforated back panels on both sides and one side is insulated.

Industrial screens

Name	Size W x H mm	Code
Standard panel, T-feet	780 x 60 x 1850	C 520 07 101
Extension panel, T-foot	750 x 560 x 1850	C 520 07 102
Extension panel, L-foot	750 x 310 x 1850	C 520 07 103
Extension panel, I-foot	750 x 60 x 1850	C 520 07 104
Includes 6 perforated back panels, 3 pcs/side.		
The standard panel includes two feet, the extension panel includes one foot.		

Parts

Name	Size W x H mm	Code
T-foot	1850	836 516-35
L-foot	1850	836 532-35
I-foot	1850	836 597-35
Spacer bar	750	835 838-35
Corner joint pair		847 615-51
Perforated back panel M750	718 x 17 x 612	861 512-07/-35
Perforated back panel M750, insulated*	718 x 17 x 612	861 701-07/-35
Upper list	718 x 65	851 907-07
The wall module requires two spacer bars.		
* The insulation material used is polyether foam.		



Tool storage system

Tool storage system requires only 2 m² of floor space and provides 16 m² of storage space. There is no need to fasten it to the floor, as it stands firmly on its own. There is a castor on the lower edge of the panels which makes

them easy to move. The load capacity is 100 kg/panel. A maximum of 10 panels can be fastened to the tool storage system.

Tool storage system

Name	Size W x H mm	Code
Tool storage system, 4 panels	1025 x 1035 x 2125	830 518-07
Additional panel	15 x 949 x 1976	830 682-07

Cabinet style tool storage






Panel hooks

Our selection includes more than 50 different kinds of hooks and brackets for the efficient storage and

organisation of tools. All the hooks and brackets can be easily attached to our perforated panels.



Hook R1

Name	L	Ø	Max load kg	Code
Hook R1	30	3	10	853 207-51
Hook R1	50	4	10	853 208-51
Hook R1	50	6	10	853 241-51
Hook R1	80	6	10	853 209-51
Hook R1	100	4	8	853 210-51
Hook R1	100	6	10	853 211-51
Hook R1	150	4	4	853 212-51
Hook R1	150	6	10	853 213-51
Hook R1	200	4	2	853 214-51
Hook R1	200	6	6	853 215-51
Hook R1	300	6	3	853 216-51
Hook R1	300	8	8	853 217-51

L = hook length mm

All order numbers include 5 pcs.

Hook R2

Name	L	Ø	A	Max load kg	Code
Hook R2	33	3	17	10	853 218-51
Hook R2	43	4	25	10	853 219-51
Hook R2	43	4	40	10	853 220-51
Hook R2	100	6	25	10	853 221-51
Hook R2	150	4	15	6	853 222-51
Hook R2	150	6	25	10	853 223-51
Hook R2	200	6	25	10	853 224-51

L = hook length mm

A = free gap mm

All order numbers include 5 pcs.

Hook R3

Name	L	Ø	Max load kg	Code
Hook R3	10	6	10	853 225-51
Hook R3	50	6	10	853 226-51

L = hook length mm

All order numbers include 5 pcs.

Hook R10

Name	L	A	Max load kg	Code
Hook R10	28	9	10	853 227-51
Hook R10	33	17	10	853 228-51

L = hook length mm

A = free gap mm


All order numbers include 5 pcs.

Hook R13


Name	L	Ø	Max load kg	Code
Hook R13	157	3	1	853 229-51

L = hook length mm


The order number includes 5 pcs.




R16




R19



R21



R24




R26



R29



R30



R33

Hook R16

Name	L	Max load kg	Code
Hook R16	20	10	831 514-51
Hook R16	46	10	831 506-51

L = hook length mm

All order numbers include 1 pc.

Hook R19

Name	Ø	Code
Hook R19	13	853 231-51
Hook R19	19	853 232-51
Hook R19	22	853 233-51

All order numbers include 5 pc.

Hook R21

Name	L	Ø	Code
Hook R21	220	12	831 646-51

L = hook length mm

The order number includes 1 pc.

Hook R24

Name	L	Ø	Code
Hook R24	65	17	831 700-51
Hook R24	80	26	831 719-51
Hook R24	100	42	852 167-51

L = hook length mm

All order numbers include 1 pc.

Hook R26

Name	L	Ø	Code
Hook R26	160	10	838 896-51

L = hook length mm

The order number includes 1 pc.

Hook R29

Name	L	Max load kg	Code
Hook R29	40	5	853 234-51
Hook R29	60	5	853 235-51
Hook R29	80	10	853 236-51

L = hook length mm

All order numbers include 5 pcs.

Hook R30

Name	L	Ø	Max load kg	Code
Hook R30	35	4	10	853 237-51
Hook R30	85	6	10	853 238-51

L = hook length mm


All order numbers include 5 pcs.

Hook R33

Name	H	Ø	Code
Hook R33	30	90	832 162-51

H = hook height mm

The order number includes 1 pc.



R35




R37




R41



R42



R43




R46



R47



R48



Hook R35

Name	L	A	Max load kg	Code
Hook R35	17	35	5	853 239-51
Hook R35	17	55	5	853 240-51

L = hook length mm

A = free gap mm

All order numbers include 5 pcs.

Hook R37

Name	Ø	Max load kg	Code
Hook R37	40	10	831 433-51
Hook R37	60	10	831 441-51
Hook R37	80	10	831 603-51

All order numbers include 1 pc.

Hook R41

Name	L	Code
Hook R41	556	838 357-51

L = hook length mm

The order number includes 1 pc.

Hook R42

Name	L	Code
Hook R42	238	838 365-51

L = hook length mm

The order number includes 1 pc.

Hook R43

Name	L	Code
Hook R43	238	838 373-51

L = hook length mm

The order number includes 1 pc.

Hook R46

Name	L		Code
Hook R46	112	for stacking bins 1015 and 30-1L	831 794-51
Hook R46	634	bin rail for six stacking bins 1015 and 30-1L	839 086-51

L = hook length mm

All order numbers include 1 pc.

Hook R47

Name	W x D	Max load kg	Code
Hook R47	350 x 120	4	831 654-35

The order number includes 1 pc.

Hook R48


Name	W x D x H	Code
Hook R48	240 x 70 x 465	838 380-51

The order number includes 1 pc.

Paper roll holder

Name	L	Code
Paper roll holder	300	854 043-35

L = max roll width mm



Box holder



Utility box

Other supplies

Name	Size W x D x H mm	Max load kg	Code
Box holder for four pick up boxes	456 x 165 x 48	5	854 042-35
Pick up box	149 x 85 x 48		851 843-00
Utility box	410 x 155 x 90	4	854 041-35
Folder compartment	466 x 90 x 240	4	854 040-35



Folder compartment

Hook sets

Ready-made hook sets help you to get started.

Choose the most suitable hook set for your needs from the following possibilities:

Hook set 1	Basic light hook set
Hook set 2	Basic hook set for hand tools
Hook set 3	Hook set for perforated tool cabinet
Hook set 4	All inclusive set for hand tools
Hook set 5	Hook set for heavy tools in perforated tool cabinet



Hook sets

Hooks included in the sets (Code)	Hooks sets							
	L mm	Ø mm	A mm	Set 1	Set 2	Set 3	Set 4	Set 5
R1 (853 207-51)	30	3			5	15	10	10
R1 (853 208-51)	50	4		5	5		10	10
R1 (853 211-51)	100	6						10
R2 (853 218-51)	33	3	17	5	5	5	5	5
R2 (853 219-51)	43	4	25				5	5
R2 (853 220-51)	43	4	40					5
R10 (853 227-51)	28		9					5
R10 (853 228-51)	33		17					5
R19 (853 231-51)		13					5	5
R19 (853 232-51)		19		5	5	5	5	5
R19 (853 233-51)		22			5			5
R21 (831 646-51)	220	12			1			1
R24 (831 719-51)	80	26			1	5	7	3
R24 (852 167-51)	100	42				1	2	3
R29 (853 235-51)	60				5			5
R30 (853 237-51)	35	4		5	5	35	40	10
R33 (832 162-51)	30	90			1	1	2	1
R35 (853 239-51)	17		35		5		5	5
R35 (853 240-51)	17		55					5
R37 (831 441-51)		60			1		3	3
R42 (838 365-51)	35		238		1	1	1	1
R43 (838 373-51)	42		238			1		
Pieces				20	45	69	100	107

L = hook length mm

A = free gap mm

Cabinet spare parts	Product	Code
Rubber mat 550 x 420	Industrial cabinet 55/100	836 716-00
Rubber mat 799 x 420	Industrial cabinet 80/100	836 715-00

Drawer unit spare parts	Product	Code
Base	55 drawer unit	854 101-35
Top cover	55 drawer unit	854 102-35
Rubber mat 549 x 709	55 drawer unit's cover	836 717-00
Cover with rubber mat	70 drawer unit	834 904-41
Cover with rubber mat	Sliding-door cabinet	852 276-41
Rubber mat 676 x 445	71/79 drawer unit's cover / Service trolley cover	854 036-00
Cover with rubber mat 906 x 736	90 drawer unit	854 258-41
Cover with rubber mat 1304 x 736	130 drawer unit	854 259-41

Drawer interior spare parts	Product	Code
Divider H=75, longitudinal	71/75 drawer	859 435-35
Divider H=100, longitudinal	71/100 drawer	859 438-35
Divider H=100, longitudinal	75/100 drawer	872 954-35
Divider H=150, longitudinal	75/150 drawer	872 955-35
Divider holder, rear wall	75 drawer	872 961-35
Middle plate L=100, lateral	55/50 and 70/50 drawers	835 323-35
Middle plate L=100, lateral	70/75, 90/75 and 130/75 drawers	832 525-35
Middle plate L=100, lateral	55/100, 70/100, 90/100 and 130/100 drawers	832 528-35
Middle plate L=100, lateral	55/150, 70/150, 90/150 and 130/150 drawers	832 533-35
Middle plate L=150, lateral	55/50 and 70/50 drawers	835 331-35
Middle plate L=150, lateral	70/75, 90/75 and 130/75 drawers	832 526-35
Middle plate L=150, lateral	55/100, 70/100, 90/100 and 130/100 drawers	832 529-35
Middle plate L=150, lateral	55/150 & 250, 70/150 & 250, 90/150 & 250 and 130/150 & 250 drawers	832 531-35
Middle plate L=300, lateral	55/50 and 70/50 drawers	835 404-35
Middle plate L=300, lateral	70/75, 90/75 and 130/75 drawers	832 527-35
Middle plate L=300, lateral	55/100, 70/100, 90/100 and 130/100 drawers	832 530-35
Middle plate L=300, lateral	55/150 & 250, 70/150 & 250, 90/150 & 250 and 130/150 & 250 drawers	832 532-35
Divider H=75, longitudinal	70/75, 90/75 and 130/75 drawers	859 432-35
Divider H=100, longitudinal	55/100, 70/100, 90/100 and 130/100 drawers	859 433-35
Divider H=150, longitudinal	55/150 & 250, 70/150 & 250, 90/150 & 250 and 130/150 & 250 drawers	859 434-35
Divider H=75, lateral	90/75 drawer	854 281-35
Divider H=75, lateral	130/75 drawer	854 280-35
Divider H=100, lateral	90/100 drawer	854 266-35
Divider H=100, lateral	130/100 drawer	854 268-35
Divider H=150, lateral	90/150 & 250 drawers	854 267-35
Divider H=150, lateral	130/150 & 250 drawers	854 269-35
Divider holder H=75, side wall	90/75 and 130/75 drawers	854 282-35
Divider holder H=100, side wall	90/100 and 130/100 drawers	854 264-35
Divider holder H=150, side wall	90/150 & 250 and 130/150 & 250 drawers	854 265-35

Castors	Product	Code
Castor set Ø 100	55 drawer unit	852 625-00
Castor set Ø 100	Storage trolley	852 768-00
Castor set Ø 100	Fitter's trolley and TP bench	834 734-00
Castor set Ø 125	Basic trolley	834 740-00
Castor set Ø 100 ESD	Storage trolley	852 774-00
Castor set Ø 100 ESD	TP bench	860 429-00
Fixed castor Ø 150	Service trolley	900 537-00
Fixed castor Ø 160	Heavy duty trolley	900 040-00
Swivel castor Ø 100	Service trolley	942 060-00
Swivel castor Ø 160	Heavy duty trolley	900 041-00
Support castor Ø 100	Tool storage system	943 690-00

Discover our product ranges!



Distinctive Workshops

Our workshop drawer cabinets, tool panels and workbenches are designed to withstand heavy loads and strenuous use in workshops, repair shops and industrial environments.

The long lifetime of our furniture guarantees productivity and a satisfied user. Our workshop furniture is also well known in teaching environments.



Ergonomic Workspaces

Process changes in production or operations require reconfigurable workstations that take account of individual ergonomics requirements. Our modular product solutions allow you to react to new situations and the resulting needs in an agile manner, enabling smooth, continuous operations.

For the needs of the electronics industry, we also make ESD-shielded workstations.



Storage systems

Our plastic storage drawers are durable and easy to clean, and can be customised into a complete storage system if necessary. Our product range also includes various stand and trolley solutions, for the more efficient use of storage space and easier movement of stored goods.

We also have storage furniture for EPAs. In addition, some of our storage solutions are based on reprocessed plastic.



Treston Medi

The Treston Medi furniture series has been designed in close cooperation with healthcare experts, resulting in user-friendly furniture for nursing staff. Our furniture includes various treatment and sampling trolleys for procedures, basket trolleys for moving, transporting and storing objects and implements, mobile workstations for mobile work such as doctor's rounds, equipment trolleys for diagnostics equipment, workstations for equipment maintenance rooms, and saddle and workchairs.

CONTACT INFORMATION

HEADQUARTERS

Treston Group
Sorakatu 1
20730 Turku
Tel. +358 10 4469 11
Fax +358 10 4469 789
sales@trestongroup.com
www.trestongroup.com

FACTORIES

Treston Group, Turku plant
Sorakatu 1
20730 Turku
Tel. +358 10 4469 11
Fax +358 10 4469 789
sales@trestongroup.com
www.trestongroup.fi

Treston Group, Jyväskylä plant
PO Box 33 (Sohlberginkatu 10)
40351 Jyväskylä
Tel. +358 10 4469 11
Fax +358 10 4469 290
sales@trestongroup.com
www.trestongroup.fi

FRANCE

Sovella SARL
Z.A.C. de la Bonne Rencontre
1, voie Gallo Romaine, Quincy-Voisins
77334 Meaux Cedex
Tel. +33 1 64 17 11 11
Fax +33 1 64 17 11 10
infofr@trestongroup.com
www.trestongroup.fr

GERMANY

Treston Deutschland GmbH
Thomas-Mann-Str. 21
22175 Hamburg
Tel. +49 40 8816 5022 - 0
Fax +49 40 8816 5022 - 10
info.de@trestongroup.com
www.trestongroup.de

Treston Deutschland GmbH
Niederlassung Raunheim
Frankfurter Straße 101
65479 Raunheim
Tel. +49 6142 992 50
Fax +49 6142 218 75
mail.de@trestongroup.com
www.trestongroup.de

RUSSIA

Treston Group Russia LLC
197375, Russia, Saint-Petersburg,
Marshala Novikova street 42
Tel. +7 812 677 76 20
www.trestongroup.com

SWEDEN

Treston Group AB
Tumstocksvägen 9 A
187 66 Täby
Tel. +46 8 511 791 60
Fax +46 8 511 797 60
info.se@trestongroup.com
www.trestongroup.se

Treston Group AB
Bultgatan 40
442 40 Kungälv
Tel. +46 31 23 33 05
Fax +46 31 23 33 65
info.se@trestongroup.com
www.trestongroup.se

UNITED KINGDOM

Treston Ltd
Treston House
5b Bone Lane, Newbury
Berkshire, RG14 5SH
Tel. +44 1635 521521
Fax +44 1635 37452
salesuk@trestongroup.com
www.trestongroup.co.uk

USA

Sovella, Inc.
156 Bluffs Court
Canton, GA 30114
Tel. +1 770 424 0004
+1 800 437 6772
Fax +1 770 424 8066
infousa@sovella.com
www.sovella.us

Long story in short



Treston Group has a long history in professional furniture design and manufacture, and well over three decades of experience in ergonomic workspace development. Our design and manufacturing facilities are located in Finland and Germany.

Thanks to our global sales network, you can receive local support and customer service anywhere in the world. We have offices in Europe and North America as well as an extensive network of selected dealers in more than 30 countries.