For maximum requirements: S 7000 PREFINO


There are tasks that only specialists can handle. Furnishing changing rooms, for example. Where the crucial bit of extra space, functionality, and design is needed - that's where Prefino comes into play:

- Extra-large locker capacity for more storage space
- Special interior fittings for practical and orderly lockers
- Absolutely sanitary thanks to smooth interior walls and bases
- Optimum use of space and interior design thanks to versatility and reconfiguration options
- **Double-walled design**for interior lighting, safe and clean online locking systems, and much more
- Body and steel doors electrolytically zinc-plated as a standard



The durable system body made of steel (alternatively stainless steel or aluminum) is the ideal basis for creative door variants in different materials.

For additional furnishing examples from a market leader, please see the Prefino



Lockers







Glass with printed motifs



Phenolic HPL with vectogram

Prefino offers countless customization options.

We look forward to your project-specific inquiry and will gladly provide you with an offer tailored to your specific needs.







Have a seat!

Depending on a building's design, a variety of different sub-frames can be utilized with locker systems. Prefino is flexible - and therefore well equipped for any challenge.

In addition to the classic foot and base designs, integrated bench solutions are becoming more and more commonplace. Be it overhanging benches on an existing base, benches built in front with shorter doors, or benches with storage boxes underneath: Prefino is the best choice for an ideal outcome.

All of the sub-frames shown here are very easy to clean, in part thanks to the clear-cut corner solutions. For you, this means extraordinarily sanitary conditions and simple, fast, and therefore cost-effective cleaning. Furthermore, the option with storage boxes underneath offers additional space that has generally gone unused - a true added benefit for visitors.

We look forward to your project-specific inquiry.






Bench with storage box underneath:
The bench surface serves as a lid that can be opened only by the user of the locker. It ensures that bags, helmets, and other items can be stored comfortably and removed easily.

A clean solution.

In areas with high hygiene requirements (such as the food industry), locker systems have to meet special demands. The connection to existing ventilation and extraction systems also requires a professional solution.

Lockers





Benches in front with phenolic HPL seat: This version as well as the variant with storage box underneath can also be retrofitted on request.





In addition, this also requires suitable supplementary products, such as swing-over benches, over which employees move from the "contaminated area" to the "clean area". C+P offers the perfect range for these furnishing tasks.



The highlight: S 7000 PREFINO





Sanitary and easy to clean

Thanks to the smooth interior walls and bases, "dirty corners" are a concept unknown to Prefino. The double walls offer a safe installation space for interior lighting, online locking systems, ventilation and extraction systems, and much more - a novelty on the market!

Smooth interior walls - and endless possibilities behind them



The Prefino ventilation concept

Drying and ventilation play a major role in locker design. In Prefino lockers, the optimized air flow design allows clothing to dry much faster than in conventional lockers. It offers options ranging from the effective self-drying concept (SVL) all the way to forced ventilation with an integrated dryer. (See illustration)





The allrounder for special furnishing needs.



Steel doors: Double-walled and insulated, 19 mm thick, offers unlimited color coating options.



Phenolic HPL doors: Made of high-pressure laminate, 13 mm thick and available in a variety of appealing decors.



Glass doors: Made of colored, enameled safety glass, 8 mm thick, for a particularly classy design.



Labeling and orientation: Customized numbering and pictograms (monitors integrated in the glass or mirror panel on request).

Lockers







Glass shelves: Made of safety glass, 8 mm thick, as an elegant and stylish solution for the interior.



Monitor and LED lighting: Can be integrated behind the attractive mirror panels.







All common mechanical and electronic locking systems can be integrated in Prefino: From turning bolt latches to coin-operated locks to electronic online locking systems with central display, which also provides information about the free and occupied lockers.



S 7000 PREFINO

The S 7000 Prefino series offers more:

- Sturdy steel construction with multi-functional modular system, overlay doors and high-quality enamel coating
- Spacious body height of 1850 mm (1950 mm incl. feet or base)
- Body and steel doors electrolytically zinc-plated as a standard
- Fronts made of steel, optionally phenolic HPL with wood decor or enameled glass for an even more attractive appearance
- Double-walled design for high stability
- Smooth interior walls sanitary and easy to clean
- Compartment sizes can also be retrofitted later
- Door opening limiter 90° and doorstop silencers for outstanding closing characteristics as standard fittings
- Cylinder lock with 2 keys

Novel slanted roof (optional)

- Perforated storage shelf for improved ventilation
- Sturdy wardrobe rail made of oval profile with 4 twist-proof double coat hooks and different positioning options for optimum adjustment to user behavior
- Wide variety of interior fitting solutions for any requirement
- Sub-frame alternatively with feet or base as well as with spacious storage box or bench on request
- Optimum ventilation, alternatively through SVL (self-ventilation), FVL (forced ventilation), or FVLD concept (forced ventilation with dryer)
- Glass doors always supplied in disassembled state for safe transportation









Slanted roof



Smooth interior walls



Different sub-frames



Can be

Wood decor reconfigured



Glass fronts fronts (phenolic HPL) (enameled)



Steel fronts with sound absorption



on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 1810 x 262/362 x 478 mm (H x W x D), each compartment with storage shelf, wardrobe rail and 4 hooks









Dimensions and door material

	_'
Steel doors	
1	,

Width
Height
Compartments
CSC

CSC	
Order no.	
Price	

. 4	
300	
1950	
1 x 300	

2 46110-10



3 46110-12

	Ĭ.		
		A	
600			

1950

2 x 300

4

46110-20

800	
1950	
2 x 400	
5	

46110-22

HPL decor doors

Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

+ 46122-730

Glass doors

Thickness 8 mm + Order no.

+ Addtl. charge

+ 46110-750

+ 46112-750

+ 46120-750

+ 46122-750

Body color (see end of catalog for color overview)



Steel side panel Can be used for right or left side.

One panel required for each visible outer surface per row of lockers.

	Height	1850
	Depth	500
ı	CSC	1
	+ Order no.	+ 4600-716
	+ Addtl. charge	

Accessories

114

Ordering steps:

1. Dimensions and door material


Body color

Door color

Options

Lockers





Mirror panel 130



Order no. 46120-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno)

+ 4600-716 (steel side panel)







900
1950
3 x 300
5
46110-30

1200
1950
3 x 400
6

46110-32

1200 1950 4 x 300 6

46110-40



+ 46130-730

+ 46132-730

+ 46140-730



+ 46130-750

+ 46132-750

+ 46140-750



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2
+ Addtl. charge	



Order no. 46110-20 + 4600-716 (steel side panel)



Double-tier lockers





Order no. 46210-20 + 4600-716 (steel side panel)

(A) Lockers with

2 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 895 x 262/362 x 478 mm (H x W x D), each compartment with wardrobe rail and 4 hooks







Dimensions and door material

	Com
Steel doors	CSC
	Orde
	Price

Width	300
Height	1950
Compartments	1 x 300
CSC	2
Order no.	46210-10

600
1950
2 x 300
4
46210-20

HPL decor doors

Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

Glass doors + Addtl. charge

Thickness 8 mm + Order no.

+ 46210-750

+ 46212-750

+ 46220-750

Body color (see end of catalog for color overview)

Door color (door decor for phenolic HPL design + glass colors if applicable)

Steel side panel Can be used for right or left side.

One panel required for each visible

outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	

Accessories

116

Additional fittings, locks | 128 | - | 135







900

1950





1.	800
	1950
	2 x 400
	E

3 x 300 5 46210-22 46210-30

1200
1950
3 x 400
6
46210-32

1200	
1950	
4 x 300	
6	
46210-40	

+ 46122-730

+ 46130-730

+ 46132-730

+ 46140-730

+ 46222-750

+ 46230-750

+ 46232-750

+ 46240-750

Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Bla
Locker height	
Order no.	
. Addtl charge	

(standard)	Black gray RAL 7021
r height	1950
no.	2
. charge	



A Lockers with 3 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 590 x 262/362 x 478 mm (H x W x D), without interior fittings









1.	Dimensions and
	door material

C. I.I	
Steel doors	
7	

Width	300	400
Height	1950	1950
Compartments	1 x 300	1 x 400
CSC	3	4
Order no.	46310-10	46310-12

600	800
1950	1950
2 x 300	2 x 400
5	6
46310-20	46310-22



Thickness 13 mm
+ Order no.
+ Addtl. charge

Price

+ 46110-730 + 46112-730

+ 46120-730

+ 46122-730

+ Glass doors

Thickness 8 mm

+ Addtl. charge

+ Order no. + 46310-750

+ 46312-750

+ 46320-750

+ 46322-750





Order no. 46310-22 + 4600-716 (steel side panel)







1950

4 x 300

8

46310-40





+ 46130-730 + 46132-730 + 46140-730

Ð + 46332-750 + 46330-750 + 46340-750

Body color (see end of catalog for color overview)

Door color (door decor for phenolic HPL design + glass colors if applicable)

Steel side panel Can be used for B right or left side. One panel required for each visible outer surface per

row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	

Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard)	Black gray RAL 7021
Locker height	1950
Order no.	2
+ Addtl. charge	

HPL = high-pressure laminate



Accessories



Order no. 46320-30 + 46130-730 (phenolic HPL decor doors in Oak Sereno) + 4600-716 (steel side panel)





on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 437 x 262/362 x 478 mm (H x W x D), without interior fittings









1	Dimensions and
	door material

Steel doors	

Width	
Height	
Compartmen	t
CSC Order no.	

300	
1950	
1 x 300	
3	
46410-10	

Ψ	
400	
1950	
1 x 400	
4	
46410-12	

600	800
1950	1950
2 x 300	2 x 400
5 46410-20	6 46410-22



Thickness 13 mm + Order no.

+ Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

+ 46122-730

Glass doors

Thickness 8 mm

+ Order no.

+ 46410-750 + Addtl. charge

+ 46412-750

+ 46420-750

+ 46422-750

Body color (see end of catalog for color overview)



1. Dimensions and door material

2. Body color

3. Door color

Options

Box lockers



Steel side panel Can be used for

right or left side. One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	



Order no. 46420-40 + 4600-716 (steel side panel)







900 1950 3 x 300 6

1200 1950 3 x 400 7

46410-32

1200 1950 4 x 300 8

+

+ 46130-730

46410-30

+ 46132-730

+ 46140-730

46410-40

Ð

+ 46430-750

+ 46432-750

+ 46440-750

HPL = high-pressure laminate

Accessories



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment



Color (standard) Locker height

Order no. + Addtl. charge Black gray RAL 7021 1950 ...2.-..



A Lockers with 5 tiers

on feet 100 mm high, depth 525 mm. Clear opening dimensions per door: 346 x 262/362 x 478 mm (H x W x D), without interior fittings



Steel doors



300 1950 1 x 300 4

46510-10



1950	
1 x 400	
5	
46510-12	



Thickness 13 mm

+ Order no.

Price

+ 46110-730 + Addtl. charge

+ 46112-730



Thickness 8 mm

+ Order no. + Addtl. charge

+ 46510-750

+ 46512-750



Body color (see end of catalog for color overview)

Door color (door decor for phenolic HPL design + glass colors if applicable)



Steel side panel
Can be used for
right or left side. One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	



Color (standard)	Black gray RAL 7021
Locker height	1950
Order no. + Addtl.charge	2







122











1950	
2 x 300	
6	
46510-20	

800	
1950	
2 x 400	
7	

900	
1950	
3 x 300	
8	

46510-30

1200 1950 3 x 400 9 46510-32

1200)
1950)
4 x 30	00
10	

46510-40

+ 46120-730

+ 46122-730

46510-22

+ 46130-730

+ 46132-730

+ 46140-730

H


+ 46520-750

+ 46522-750

+ 46530-750

+ 46532-750

+ 46540-750



(A) Lockers with 6 tiers

on **feet** 100 mm high, depth 525 mm. Clear opening dimensions per door: 285 x 262/362 x 478 mm (H x W x D), without interior fittings







1	Dimensions and
	door material

Steel doors

Co
C
Oı
Pr

Width	300
Height	1950
Compartments	1 x 300
CSC	4
Order no.	46610-10
Price	

Ψ	Ψ
400	600
1950	1950
1 x 400	2 x 300
5	6
46610-12	46610-20



Thickness 13 mm + Order no. + Addtl. charge

+ 46110-730

+ 46112-730

+ 46120-730

Glass doors

Thickness 8 mm + Order no.

+ Addtl. charge

+ 46610-750


+ 46612-750

+ 46620-750

2. Body color (see end of catalog for color overview)



Door color (door decor for phenolic HPL design + glass colors if applicable)



B right or left side.
One panel required for each visible outer surface per row of lockers.

Height	1850
Depth	500
CSC	1
+ Order no.	+ 4600-716
+ Addtl. charge	

Accessories





Order no. 46620-32 + 46132-730 (phenolic HPL decor doors in Danube maple) + 4600-716 (steel side panel)









800
1950
2 x 400
7
46610-22

1950 3 x 300 8 46610-30

1200 1950 3 x 400 9

46610-32

1200 1950 4 x 300 10

46610-40



+ 46122-730

+ 46130-730

+ 46132-730

+ 46140-730



+ 46622-750

+ 46630-750

+ 46632-750

+ 46640-750



Base instead of feet, steel design, 100 mm high, approx. 60 mm height adjustment

Color (standard) Locker height Order no.

+ Addtl. charge

Black gray RAL 7021 1950 ..2.-..





S 7000 PREFINO

Business Class Z lockers offer you more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- Lots of storage space! Large, bulky bags or helmets, long garments, shoes, and small objects all have their place
- Excellent view of locker content thanks to the functional interior arrangement
- No troublesome door projections like in conventional Z lockers, meaning there is no risk of injury
- All users have compartments of exactly the same size
- Uniform appearance with a harmonious mix of small and large doors that fits well into any room

4 x order no. 46226-20 as a block with a vectogram




A Z lockers **Business Class**

on **base** 100 mm high, depth 525 mm, for use in areas that only offer enough space for a double-tier locker but still require long garments to be hung. Every compartment with wardrobe rail and 3 double coat hooks



1. Dimensions and door material	Width	600
door material	Height	1950
	Compartments	1 x 600
HPL decor doors	CSC	4
	Order no.	46226-20
ALL REAL PROPERTY AND INC.	Price	



Z lockers





4 x order no. 46226-20 as a block with equipment panels and slanted roof



Accessories

Additional fittings, locks | 128 | - | 135





Security compartment instead of the hat shelf (available as an option)



Vectogram on an phenolic HPL door (available as an option)



Electronic online locking systems (available as an option)



C+P double coat hooks: Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use.







to be mounted individually or back to back

for locker depth	52	25
Order no.	4604-710L	4604-710R
+ Addtl. charge		

Pairs of doors closing in the middle*

Doors with joint lock, addtl. charge **per pair**

for locker width	600	800
Order no.	2	2
+ Addtl. charge		



Smooth top plate

made of steel, for locker depth 525 mm

for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4600-760	4600-761	4600-762	4600-763	4600-764	4600-765	4600-765
+ Addtl. charge							



Slanted roof

empty, for coverage of equip on-site for lo 525 n

oment intalled te, ocker depth mm					
locker width	300	400	600	800	90

for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4604-10	4604-12	4604-20	4604-22	4604-30	4604-32	4604-32
+ Addtl. charge							




Slanted roof with lighting

with integrated furniture light incl. illuminant, color white, for locker depth 525 mm

We also offer project-specific additional variants, for example with colored light for spa areas or prepared for existing ventilation systems.



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	-	-	4604-200	4604-220	4604-300	4604-320	4604-320
+ Addtl. charge							



The novel Prefino slanted roof solution:

Offers lots of space for functional ideas - from housing ventilation and supply lines to completely integrated indirect lighting.

Slope tops

without locker: rear approx. 230 mm high (= nothing can remain on the locker!)



for locker width	300	400	600	800	900	1200	1200
for compartments	1 x 300	1 x 400	2 x 300	2 x 400	3 x 300	3 x 400	4 x 300
Order no.	4631-70	4641-70	4632-70	4642-70	4633-70	4643-70	4643-70
+ Addtl. charge							

Additional fittings in the locker

Shoe tray made of plastic, removable, with bottom spacers

Coat hanger with laundry net the classic option for pools, spas, and similar facilities



Towel hanger movable, for easier drying of large towels



4500-707



8501-04251



8501-04



4500-760

Additional fittings

Order no.

Price

on the locker door

for doors made of

for compartment width

Mirror to be mounted by the customer, 300 x 180 mm (H x W)



phenolic HPL and steel 300/400 4500-762

Towel holder for doors hinged on right



phenolic HPL steel 300 300 4600-7703R 4600-770R

Towel and shower gel holder for doors hinged on right



phenolic HPL steel 400 400 4600-7713R 4600-771R

Flip-flop and shoe holder



phenolic HPL steel 300/400 300/400 4600-7733 4600-773

Glass shelf

Order no.

Price

made of safety glass, 8 mm thick, addtl. charge per shelf



for compartment width
Order no.
D :

Steel shelf

300 4600-580

400 4600-582

Price


perforated, in body color, additional charge per shelf



for compartment width Order no. Price

300 4600-89

400 4602-89



Mirror panels

Prefino offers a range of different end face plates to enhance both the function and the appearance of the ends of locker rows, which often go unused.

The panels with integrated mirrors with or without deposit areas, with sockets or lighting, allow for customized options for this space.

They can either be attached to lockers or simply to the walls of a room.







© End face plate

to be attached to the side of the locker row, **for locker depths of 525 mm**

For additional mirror panel options, please submit a project-specific inquiry.

Locker configuration single-row



500	
1850	

Locker configuration **back to back**



1000	
1850	



Mirror full surface

Order no. Price

Width Height

4010-185050

4010-185100



Mirror full surface and 2 LED lights behind the mirror

Order no.

4011-185100



Mirror full surface, deposit area with 2 sockets, 2 LED lights behind the mirror

Order no.

Price

4012-185100

Accessories for lockers







Lots of other design and veneering options await you.

We look forward to your project-specific inquiry.



Labeling and orientation

What good is the best changing room facility if you keep getting lost in it? C+P labeling systems put an end to this problem. From simple numbering of steel lockers, to graphically supported signs – you're in the perfect place here!

Orientation is more than just a small detail.

For you this means:

You save time and money, avoid unnecessary hassles, and you have a functional and attractive solution from the very start.

Everything from a single source – everything from C+P!

Locker numbering front inscription

- Digit combination with **3** characters each
- Choice of 2 colors (white aluminum or black gray please specify)
- Numbering according to customer requirements (**please specify**)



Color	White aluminum	Black gray
Order no.	4500-74965	4500-74972
Price		


Locker row signs

- Digit combination with **7** characters each
- Choice of 2 colors (white aluminum or black gray **please specify**)
- Numbering from ... to ... according to customer requirements (please specify)



Color	White aluminum	Black gray
Order no.	4500-75065	4500-75072
Price		





Note: The designs on this page are only examples of our extensive overall range. We look forward to your project-specific inquiry!



Room orientation with pictograms

- Pictograms for any location
- Choice of 2 colors (white aluminum or black gray please specify)
- More pictograms on request
- Always includes text

Color	White aluminum	Black gray
Order no.	449365	449372
Price		

Here a few examples:

Locker room





Order no. 4493-21

Men's restroom



Snack bar



Order no. 4493-23 Order no. 4493-2

Further pictograms:

Designation	Order no.*
Security compartment	4493-00
Changing room - men	4493-01
Changing room - women	4493-02
Reception	4493-03
Restaurant	4493-04
Gym	4493-05
Telephone	4493-08

Designation	
First aid	
Sauna	
Locker room - families	
Locker room - handicapped persons	
Tanning booth	
Outdoor swimming pool	
Restroom	

Order no.*
4493-09
4493-10
4493-11
4493-12
4493-13
4493-15
4493-16


Designation	Order no.*	
Restroom - handicapped persons	4493-17	
Indoor swimming pool	4493-18	
Parking lot	4493-19	
Bare feet	4493-20	
Restroom - women	4493-22	
Escape route	4493-24	
Mothers' and babies' room	4493-25	

^{*} Please specify no. 65 for white aluminum or 72 for black gray.

Arrows to show direction

- Complementing locker numbering and pictograms
- Available in 2 colors

Color	White aluminum	Black gray
Order no.	4493-2765	4493-2772
Price		



Examples: Pictograms with arrow Sauna Locker room - families 400-499 500-599

Note: The usual designs are shown on this page. Other variants are possible. We look forward to your project-specific inquiry!



Mechanical locking systems

At C+P you can choose from the entire range of mechanical locking systems available on the market. The basic fitting is the cylinder lock and 2 keys. The turning bolt latch for padlocks as well as deposit locks, token-operated locks, or ticket-operated locks can be integrated as well.

Locking no. according to customer requirements

Additional charge per lock

- + Order no.
- + Addtl. charge

for cylinder lock (longer delivery time)

+-..99



Safety turning bolts as standard design:

It is impossible to destroy the locking mechanism by overwinding because the locking cylinder only engages once the padlock has been removed.



Cylinder lock:

The basic fitting for all S 7000 Prefino lockers. Every lock is supplied with 2 keys. Master key systems are available with or without a security certificate for more safety and convenience



SAFE-O-MAT deposit lock:

The best-selling classic among coin-operated locks. Available with traditional master key system or with the innovative PROMAX exchangeable cylinder system.



Coin-operated deposit lock:

The alternative for the basic function of the deposit lock.

For electronic locking systems and information about the functionalities of SAFE-O-MAT locks, please see pages 160-165



SAFE-O-MAT number plate: Instead of the sign, silver, please specify numbering (order no. 8501-430).



Coin-operated lock:

As classic deposit or token-operated lock where the coin is kept as a fee for the use of the locker or compartment.



Ticket-operated lock:

The practical solution often used in public swimming facilities: The admission ticket purchased at the machine serves as a deposit at the same time. Staff IDs and club membership cards can be used for this purpose as well. Please submit a project-specific inquiry.



Accessories

Perlon wristband for cylinder keys

Please indicate numbering from-to and list the desired color no.







Number plates

in lock area, self-adhesive, separate for easy DIY assembly, only suitable for cylinder locks

1) 51 black 52 white

53 red 55 blue

56 gray

61 green 67 yellow



Order no Price

8501-05..

plates

numbering

Design

Price

Order no.



with integrated door protection 120 x 38 x 1.0 mm

plastic Stainless steel 4502-0601 4501-0601

without integrated door protection 65 x 38 x 1.0 mm

plastic 4502-0611 Stainless steel 4501-0611

Number plates

self-adhesive film

Order no. Price

Please specify numbering from-to and color black (51), white (52), black gray (72), or white aluminum (65)



4500-749..



Additional door protection/ number plate..... 84



Cylinder locks

Prices per lock

Basic design Cylinder Optional

Cylinder lock in black with 2 keys

Lock in moisture-proof design cylinder lock in black



lock







up to 1000 different key numbers

up to 6000 different key numbers

via master key system with security certificate*

via master key system without security certificate*

up to 1000 different key numbers

via master key system with security certificate*

via master key system without security certificate*

Order no. Unit price + Addtl. charge

4600-721 Standard 4600-744

4600-734 4600-724 4600-7212

4600-7342

4600-7242

Keys and safety turning bolts

Spare keys for cylinder lock



Spare key for master key system



Master key for master key system



Spare key for lock 4600-721 0006-21

Spare key for lock 4600-744

with security certificate*

0010-11

without security certificate*

certificate*

without with security

certificate*

Order no. Price

0006-00

0006-00

security

4400-726 4400-727 see left side

4600-718

Safe-O-Mat locks

prepared for clipping on number plates. For a detailed description, see page 165

each lock with 1 key

Twin-coin deposit lock

Token-operated lock twin-coin, multi-use

set to 2 Euro deposit and 1 Euro cash function

Ticket/ coin-operated lock



Order no. + Addtl. charge

coins 4600-731R

alternatively use of

1 or 2 Éuro

currency** 4600-732R

set to foreign

4600-733

on request

Accessories for SAFE-O-MAT locks

Promax replace- ment cylinder	Promax emergency key	Sign	Number plate	Wristband set, nylon
-	(cylinder exchange key)	for exterior, with sign SAFE-O-MAT	instead of the sign (specify numbering)	with metal buckle, security screw and key pouch (please specify desired color no.' and numbering)
8501-4101	8511-00	included	8501-430	8501-46



1) 51 black

52 white 53 red

55 blue 56 gray

61 green 67 yellow

Token-operated lock twin-coin, multi-use, for a detailed description, see page 165

Coin-operated deposit lock

Brass cylinder with 1 security key, with "standard" master key function, works with 1 Euro coins

, ,,	•		
Coin-operated deposit lock	Replacement exchangeable cylinder, unit price		
4600-730	4500-741		
Master key	Removal key	Spare key	
8511-20	4500-740	8511-22	
	4600-730 Master key	Master key Removal key	



^{*} much longer delivery time, key made of brass

^{**} Please specify currency or send sample coin